### **Botswana Private Hospice and Palliative Care Standards**

### 1 MANAGEMENT AND LEADERSHIP

### OVERVIEW OF MANAGEMENT AND LEADERSHIP

Effective leadership is essential for the hospice and palliative care service to be able to operate efficiently, achieve its goals and fulfil its mission. This begins with understanding the various responsibilities and authorities of individuals in the service and how these individuals work together. The hospice and palliative care service manager ensures that policies and procedures appropriate to the various teams within the service are developed and implemented. The responsibilities of the service manager are documented and are known to personnel.

Documents prepared by each team define their goals and identify current and planned services. The lines of communication for achieving these goals are represented on an organisational chart.

It is important that the hospice and palliative care service team has identified leaders in areas such as clinical care, information management, financial management, human resource management, complaints and patient feedback. It is possible that a single individual within the service may assume all these leadership responsibilities. In some services however, leadership will be undertaken by different members of the team, although leadership of clinical care should remain the responsibility of a principal practitioner.

#### Standards:

#### 1.1 Mission statement

1.1.1 The hospice and palliative care service's clinical and managerial leaders are identified and are collectively responsible for defining the service's mission and creating the plans and policies needed to fulfil the mission.

#### Standard Intent:

It is important that all members of the hospice and palliative care service team are recognised and included in the process of defining the service's mission. A service's mission statement usually reflects the needs of its patient population and patient care services are designed and planned to respond to those needs.

Effective leadership is essential for a hospice and palliative care service to be able to operate efficiently and fulfil its mission. Leadership is provided by individuals working together or separately and can be provided by any number of individuals.

Patient care services are planned and designed to respond to the needs of the patient population. The leaders of the service determine what primary care services are essential to the community, ideally in collaboration with the community, as well as the scope and intensity of these services.

A strategic plan outlining the proposed development of the hospice and palliative care service over the coming year is a useful tool to support the service in achieving its mission and meeting identified patient needs. To ensure effective implementation, the plan should be revisited regularly throughout the year to document progress against agreed, predetermined, time-bound targets. The service's strategic plan should be reviewed yearly to ensure that it remains reflective of the current needs of the patient population.

### Criteria:

# 1.1.1.1 The leaders of the hospice and palliative care service are formally or informally identified.

Where a service consists of more than two practitioners the leaders of the service must be formally identified.

# 1.1.1.2 The hospice and palliative care service has a mission statement that reflects its strategic objectives and matches the needs of the community served by the service.

The mission statement is critical to the strategic planning process since it provides clear, guiding principles that further define who the healthcare provider is as an organisation and why the service exists. Mission statements create the foundation for action planning and a basis for accountability with the community.

# 1.1.1.3 The leaders are collectively responsible for ensuring that the mission statement is known to all personnel, patients, carers and the community served.

This can be achieved in many ways. For example, by public display of the mission statement on notice boards, in the waiting area or included in printed information leaflets given to each patient when they first visit the service. If the hospice and palliative care service has a website, the mission statement can also be published on the website.

Documented evidence that personnel have read the mission statement must be provided for full compliance with this criterion.

#### 1.1.1.4 The hospice and palliative care service participates in community health activities.

The mission of a palliative care service needs to meet the needs of the community. To be compliant with this criterion evidence must be provided of interaction with Community Health Committee members and participation in community health activities.

## 1.1.1.5 The leaders, in liaison with the whole hospice and palliative care service team, coordinates the compilation of an annual strategic plan and budget.

This criterion requires all departments within the hospice and palliative care service to be involved in the compilation of the annual strategic plan and budget to ensure that the needs of each department are discussed, considered and met if possible within the scope of service's budget. Compliance will be demonstrated by documented evidence, for example, minutes of meetings.

## 1.1.1.6 The leaders are collectively responsible for implementing the service's mission and strategic plan.

Evidence of an action plan for achieving the service's mission and strategic plan will be required.

#### 1.1.1.7 The strategic plan is reviewed on an annual basis.

Compliance will be measured by providing documented evidence that the service's strategic plan has been reviewed.

# 1.1.1.8 Regular monitoring of the implementation of the strategic plan against envisaged timeframes and progress in achieving its objectives is documented at intervals determined by the service.

This criterion requires that service leaders adhere to the timeframes that were set at the beginning of each year for achieving the strategic plan.

For any plan to be implemented effectively, it is essential to monitor the progress that is being made towards achieving the outcomes that have been planned. This criterion further requires the service to document the progress that is being made during the year towards achieving the strategic plan.

# 1.1.1.9 Where appropriate, the leadership roles in various positions are documented, agreed to and known by the personnel.

This may, for example, include personnel responsible for monitoring infection control practices, resuscitation, stock control, patient files etc.

### 1.2 Management systems

1.2.1 A manager is responsible for operating the palliative care service within relevant laws and regulations.

#### Standard Intent:

The hospice and palliative care service manager is appointed to be responsible for the overall, day-today operation of the service. These responsibilities are documented and known to personnel. The service manager is responsible for promoting and monitoring the implementation of the policy and procedure framework of the service.

### Criteria:

### 1.2.1.1 The manager is responsible for the day-to-day running of the service.

This criterion is assessed on evidence of effective management found throughout the hospice and palliative care service during the survey.

If this criterion is scored PC or NC, the transgressions need to be recorded in detail to motivate for the PC/NC rating and it should be based on accurate facts.

# 1.2.1.2 The manager has the education and/or experience necessary to carry out his or her responsibilities.

If the hospice and palliative care service manager is a solo practitioner or partner in the service this criterion will scored based on the evidence of effective management found throughout the service during the survey.

If the service manager is an employee, compliance will be assessed against the requirements set out in the position description.

## 1.2.1.3 The hospice and palliative care service is licensed in terms of relevant legislation for the level and type of services provided.

Documented evidence is required.

# 1.2.1.4 The manager ensures that there is a system in place to monitor the implementation of applicable laws and regulations.

This criterion will be scored compliant by default, although a PC rating is given whenever there is definite evidence of non-adherence to any legal requirement. In these cases, the transgression needs to be recorded in detail to motivate for the PC rating and it should be based on accurate facts. Common examples of non-conformance with legal requirements include the following deficiencies:

- The required certificates are not available, for example, fire clearance certificates, electrical installation certificates, commissioning certificates (for example, ethylene oxide sterilisers), pressure test certificates for vessels under pressure
- Internal/external financial audits are not conducted
- Nurses transcribe doctors' prescriptions and/or dispense medication
- Pharmaceutical items are incorrectly labelled
- Proof of current registration of professional personnel with the relevant councils is not available

In order to demonstrate compliance, hospice and palliative care services may wish to compile a template listing the accreditation criteria requiring demonstration of compliance with country-specific legislation and regulations against the relevant national acts, regulations, etc. applicable to the criterion.

## 1.2.1.5 There is evidence of response to any reports from inspecting and regulatory authorities.

This requires documented evidence for whatever inspections may have been conducted.

Examples may include inspections by the following authorities

- The local fire authority for fire clearance purposes
- The national authority responsible for radiation safety aspects
- The national authority responsible for health and safety compliance
- The national authority responsible for financial compliance
- The national authority responsible for maintenance requirements such as boiler inspections and pressure tests, autoclave pressure tests
- The local authority responsible for testing of water supplies
- The relevant professional bodies where student training is provided

• Licensing authorities for facilities such as the pharmacy, etc.

# 1.2.1.6 The manager implements processes to manage and control human, financial and other resources.

The criterion will be scored after the final assessment of Management and Leadership criteria and will be scored according to the findings of financial and human resource management and other criteria dealing with adequate supply and effective management of resources (medication, consumables, equipment etc.).

1.2.2 The hospice and palliative care service facilitates communication between teams and individuals within the service.

#### **Standard Intent:**

The leaders develop a culture that emphasises cooperation and communication. Relevant personnel members become part of the communication network.

#### Criteria:

# 1.2.2.1 The hospice and palliative care service leaders facilitate communication between teams where relevant and between individual personnel members.

"Teams" refer to all the groups of employees and practitioners involved in the service, for example, administration, cleaning and clinical personnel.

Evidence of, for example, minutes of personnel meetings, memos and communication tools can be provided as evidence.

There must be evidence of at least quarterly personnel meetings.

# **1.2.2.2** Agendas are prepared for meetings in order to allow those attending to prepare for participation.

An assessment of a sample of agendas of meetings should be undertaken to determine the trend and "general" compliance as the criterion should not be penalised on one or two exceptions.

### 1.2.2.3 Minutes of meetings are taken and are circulated to all relevant personnel.

An assessment of a sample of minutes of meetings should be undertaken to determine the trend and "general" compliance as the criterion should not be penalised for one or two exceptions. The manner in which minutes are circulated should be assessed and should consist of documented evidence of the circulation and acknowledgment of receipt.

## 1.2.2.4 There is a procedure to make sure that important matters resulting from management meetings are communicated to and acted upon by personnel.

The existing "mechanism" should be assessed for effectiveness in conveying this information to personnel but surveyors must further note the importance of searching for evidence of "and acted upon". This generally requires that minutes should reflect the allocation of responsibilities for carrying out tasks and that these are reported on at subsequent meetings.

# 1.2.3 The hospice and palliative care service engages with a range of health, community and disability services to plan and facilitate optimal patient care.

#### Standard Intent:

Coordination of care for individuals, families and communities is part of the accepted definition of hospice and palliative care. For patients with complex care needs, for example, severe disabilities or multiple comorbidities, the service is encouraged to coordinate patient care with other health services including allied health and pharmacy as well as social, disability and community services.

It is important to identify relevant services within the local area that can enhance patient care, to have updated registers of such services at hand and to build sound working relationships with these service providers to facilitate good, collaborative care.

#### Criteria:

# 1.2.3.1 The hospice and palliative care service plans and coordinates comprehensive care by establishing relations and maintaining contact with other relevant services and agencies, including both governmental and non-governmental agencies.

The purpose of this criterion is to ensure that practitioners are aware of members of the multidisciplinary team in both the private and government sector and engage them when required to ensure that the patient receives the best possible care. Documented evidence of such networking (for example, minutes of the meetings or email correspondence) should be made available for assessment.

# **1.2.3.1** Information on services, hours of operation and processes for obtaining care is provided to services in the community who work in collaboration with the hospice and palliative care service.

This information needs to be provided for example, to community nursing teams, step down care, allied health professionals etc.

Compliance can be demonstrated by for example, email correspondence with the various services or by providing information pamphlets about to the hospice and palliative care service to these services.

# 1.2.3.1 The hospice and palliative care service determines that the receiving individual/organisation can meet the patient's continuing care needs and establishes arrangements to ensure continuity.

Documented evidence is required.

### 1.3 **Policies and procedures**

The service manager ensures that policies and procedures which support the activities of the service are implemented.

### Standard Intent:

The service manager ensures that all policies which apply to each team within the service are available to personnel and that they are implemented and monitored.

#### Criteria:

1.3.1

# 1.3.1.1 Policies and procedures that guide and support the different services offered by the hospice and palliative care service are implemented.

The criterion will be scored at the end of the survey. If this criterion is scored PC or NC Surveyors must document examples of non-compliance. This criterion will automatically be scored NC if there is evidence of non-compliance with policies and procedures that effect patient and personnel safety.

- Policies and procedures relating to high-risk patients include:
- Palliative care emergencies
- Care of comatose patients
- Management of communicable diseases
- · Care of patients with or suspected of having tuberculosis
- Care of immuno-compromised patients
- Use of physical or chemical restraint
- Specific needs of high-risk paediatric patients
- Provision of gender sensitive care

### 1.3.1.2 Policies and procedures are signed and dated by persons authorised to do so.

The initial implementation date and the name, designation and signature of the person authorising the policy must be clearly legible on each policy and procedure.

#### 1.3.1.3 Policies and procedures are correctly compiled, indexed and filed.

- Title: Each policy should have a name or title for identification and reference.
- Identifying number: This is to facilitate indexing, locating the policy when required and communicating about the policy accurately
- Policy statement: What is to be achieved and why
- Procedure: How the policy is to be achieved. This is a step-by-step description of what needs to be done (like a recipe following each step should result in a predictable outcome irrespective of who follows the steps)
- Associated references: This is required when the policy is directly associated with specific laws, regulations or policies or corporate policies and procedures
- Dates: The date of the original policy, the date(s) of any revision(s) and the date of the next planned review
- Signature: This is the signature of the person identified and authorised to approve policies and procedures

If policies and procedures are only available electronically, all personnel must be able to demonstrate how to access the documents.

## 1.3.1.4 Policies and procedures are reviewed according to organisational policy and then dated and signed.

Policies and procedures must be reviewed at least every 5 years and when changes in evidence based palliative care service requires earlier review.

# 1.3.1.5 There is a process to ensure that personnel are familiar with relevant policies and procedures.

Compliance with this criterion can be achieved by means of, for example, signature sheets attached to each policy and procedure or by attendance registers at in-service training relating to policies and procedures.

### 1.4 Human Resource Management

1.4.1 There is a plan for the provision of adequate numbers of suitably qualified personnel.

#### **Standard Intent:**

It is advisable for the hospice and palliative care service to plan and implement uniform programmes and processes related to the recruitment, retention and development of all personnel. Personnel retention rather than recruitment provides greater long-term benefit. Retention is increased when leaders support personnel development.

The hospice and palliative care service has a written plan which identifies the numbers and types of personnel required and the skills, knowledge and other requirements needed in each team. The planning process includes:

- Personnel recruitment
- Numbers and categories of personnel required
- Desired education, qualifications, skills and knowledge
- Personal development of personnel
- Personnel retention

#### Criteria:

#### **1.4.1.1** There are documented processes for staffing the service.

Compliance with this criterion will require the service to show documented evidence that patient load and patient acuity were studied and considered when planning the staffing for the service. This must be evident for both the number of personnel required as well as their qualifications. In the case of children, educators form part of the service.

# 1.4.1.2 The desired education, qualifications, skills and knowledge are defined for personnel members.

These requirements must be discussed and agreed by all relevant personnel during the recruitment process and form part of the position description.

## 1.4.1.3 Personnel members in the fields of spiritual care, physiotherapy, occupational therapy, dietetics and complementary therapies are available.

#### 1.4.1.4 The processes include measures to improve personnel retention.

Retention of personnel as opposed to the recruitment of new personnel is more cost effective and more likely to result in better patient care due to improved continuity of care and service provision and the accumulation of experience. It is therefore strategically important for retention to be considered as part of the recruitment process. As an additional benefit, measures taken to improve retention are likely to improve personnel satisfaction, and satisfied personnel provide better services. For a hospice and palliative care service to be compliant with this criterion evidence must be provided of at least a personnel satisfaction survey.

1.4.2 There is an effective process for gathering, verifying and evaluating the credentials (registration, education, training and experience) of those health care professionals who are permitted to palliative care service independently.

#### Standard Intent:

The hospice and palliative care service needs to ensure that it has qualified health care professional personnel who appropriately match its mission, resources and patient needs.

An individual's credentials consist of an appropriate current registration, evidence of completion of professional education and any additional training and experience. There is a process for gathering this information and verifying its accuracy. The process applies to all clinical personnel employed by the service, including locums.

#### Criteria:

# **1.4.2.1** There is implementation of a reliable, documented process for evaluating and verifying the credentials of all health professionals.

This can be achieved, for example, by having a standardised checklist of requirements that must be verified. This should include reference checks.

The completed document can then be retained in the employee's personnel file.

Compliance will be verified during an audit of the personnel files of various categories of professional personnel.

# 1.4.2.2 Personnel files contain copies of qualifications and licences/registration from the relevant authority for all health professionals.

Copies of all the relevant original degrees/diplomas/certificates must be available, as well as evidence of registration with the relevant registration bodies. Compliance will be verified during an audit of the personnel files.

### 1.4.2.3 There is a system to track the annual registration of all health professionals.

The system must reflect the date that each category of health professional's licence is due for renewal and document that the original, renewed licence has been seen.

# 1.4.2.4 All personnel members with direct contact with the public have had a police check, a copy of which is kept in their personnel file.

Police checks are repeated every 3 years or as appropriate. Compliance will be verified during an audit of the personnel file.

1.4.3 Clinical and administrative personnel are orientated to the hospice and palliative care service and participate in continuing education, research and other educational experiences to acquire new skills and knowledge and to support job advancement.

#### Standard Intent:

The decision to appoint an individual to a position within the service sets several processes in motion. To perform well, new personnel need to understand the functioning of the entire service and how his or her specific role and responsibilities contribute to the service's mission. This is accomplished through a general orientation to the service and his or her role in the service and a specific orientation to the responsibilities of his or her position. The orientation process should include for example infection control practices, confidentiality etc.

The hospice and palliative care service supports opportunities for continuing education and training of personnel to ensure they remain up to date with current best practice and to acquire advanced or new skills. These opportunities may be offered by the service, by a professional association or through educational programmes in the community. The service supports such opportunities as appropriate to its mission and resources. Such support may be given through tuition support, scheduled time away from work, recognition for achievement and in other ways.

#### Criteria:

# **1.4.3.1** There are documented processes for orientation of personnel to the hospice and palliative care service.

This includes general orientation and position-specific orientation as discussed in the standard intent above.

# 1.4.3.2 The hospice and palliative care service supports continuing education for its clinical personnel and maintains records of this in personnel files.

This refers specifically to professional personnel and the requirements for continued registration with the relevant professional bodies, where applicable. Management must have a clear strategy for assisting professional personnel to maintain their continued registration.

This training could include billing, medical aid codes and triaging, (which is particularly important when administrative personnel are responsible for the initial assessment of waiting room patients).

# 1.4.3.4 Personnel members are informed of opportunities to participate in advanced education, training, research, and other experiences.

Compliance will be verified during an audit of the personnel files of various categories of personnel or other training records. Personnel members may also be interviewed.

1.4.4 Where the services of volunteers are utilised within the organisation, the volunteer service is organised, managed and staffed to provide a safe and effective service and is coordinated with other personnel and services within the organisation.

#### Standard Intent

Volunteers are selected according to the abilities to meet the specific needs of the organisation. The organisation clearly defines the parameters within which volunteers may function. In addition to providing direct patient care, volunteers contribute their time and skills in terms of governance, administration, fundraising and a host of supportive and sundry services such as gardening, transport, catering, etc. Support for volunteers is available in a variety of forms in keeping with the particular characteristics of the work setting and the role of the team members.

#### Criteria:

- 1.4.4.1 An individual is designated to coordinate the volunteer service.
- 1.4.4.2 The volunteer coordinator attends management meetings or is part of the management team.
- 1.4.4.3 The services provided by volunteers are documented in a signed agreement with the organisation.
- 1.4.4.4 Volunteers are clearly identified by name badges.

### 1.5 Financial Management

1.5.1 The hospice and palliative care service manager is responsible for the implementation and maintenance of a financial strategy.

#### Standard Intent:

Financial planning and management needs to be conducted by a person who is suitably qualified or skilled and experienced in all matters relating to the finances of the service. Clinical and managerial personnel both need to be included in planning the financial requirements. They require information relating to the funds available to them for the management of the service and up-to-date statements of current expenditure.

Sound accounting and auditing practices are implemented to ensure transparency. This is guided by documented policies and procedures. The hospice and palliative care service manager ensures that these policies and procedures are implemented.

#### Criteria:

#### 1.5.1.1 A designated person is responsible for the implementation and maintenance of a

#### financial strategy.

This requires that an individual in the service has the officially assigned duties of overseeing and taking responsibility for all aspects of financial management. This may be the service manager, a financial manager or a shared responsibility between service manager and a financial officer.

# 1.5.1.2 This person is suitably qualified and/or experienced in accounting and financial management.

This criterion will automatically be scored compliant where a solo private practitioner manages the services' finances.

Where a financial manager or financial officer is employed, compliance will be assessed against the requirements set out in the position description.

# 1.5.1.3 The responsibilities of this person include ensuring that policies and procedures for all financial functions are implemented.

This criterion will automatically be scored compliant where a solo private practitioner manages the services' finances.

Where a financial manager or financial officer is employed, policies and procedures must guide their functions.

# 1.5.2 Budgeting and reporting processes are consistent with statutory requirements and accepted standards.

#### **Standard Intent:**

An approved budget should be available in the management documentation. There should be evidence of the allocation of resources in accordance with the approved budget. This ensures that the hospice and palliative care service plans for and is able to meet its financial obligations.

### Criteria:

### 1.5.2.1 There is a current budget for the hospice and palliative care service.

For services that comprise of more than one practitioner there should be an approved budget available in the management documentation. For services that comprise of a solo practitioner there should be evidence of a budget. The budget must demonstrate allocation of resources. The budget will include, for example, salaries, rent, utility costs (water and electricity), consumable stock etc.

#### 1.5.2.2 A report is produced at least annually, setting out the financial position to date.

This criterion requires that at least the most recent financial report that is prepared annually for submission to the Botswana Unified Revenue Service (BURS) must be available during the survey.

## **1.5.2.3** There is a mechanism for establishing the reason for budget variation in either income or expenditure.

Evidence should exist in the format in which financial statements are produced. Generally, these statements contain a column/section indicating the variance, i.e. under- or over-expenditure. Evidence showing what is done about this variance (especially over-expenditure), should be available, for example, in the minutes of relevant financial management meetings, personnel meetings or memos.

# 1.5.2.4 Capital investment proposals are subject to unanimous agreement among the partners or are agreed according to a voting system acceptable to all partners in the service.

Documented evidence must be provided to demonstrate agreement. This criterion will be scored "not applicable" services operated by a solo practitioner.

1.5.3 The hospice and palliative care service provides a service in line with legally and ethically accepted business and financial standards.

#### **Standard Intent:**

The hospice and palliative care service has ethical and legal responsibilities to its patients, personnel and the wider community. The leaders understand these responsibilities as they apply to the business activities of the service.

#### Criteria:

## 1.5.3.1 The hospice and palliative care service has documented ethical and legal policies and procedures for the financial management of the service that are implemented.

Examples of compliance with this criterion can be found in the policies and procedures for billing or referral to partners within service.

## 1.5.3.2 Internal and external financial audit systems which meet audit requirements are maintained.

Compliance will be measured in accordance with the requirements of the Botswana Companies Act.

## 1.5.3.3 Where required, annual audited financial statements are produced within the required time frame.

Compliance will be measured in accordance with the requirements of the Botswana Companies Act.

### 1.5.3.4 There is a capital asset register, which is routinely maintained.

Documented evidence will be required.

#### 1.5.3.5 Assets are insured.

This includes the service assets and where applicable the physical structure.

### 1.5.3.6 All health professionals provide evidence of professional indemnity insurance.

Compliance will be measured during the personnel file audit.

### 1.6 Supply Chain Management

1.6.1

There is an effective system to ensure that equipment and supplies are ordered, stored and distributed.

#### Standard Intent:

A competent person ensures that equipment and supplies are ordered timeously, stored safely and distributed appropriately.

Policies and procedures are developed for the various provisioning functions. Such policies should include as a minimum:

- a) Ordering of and payment for supplies and equipment
- b) Safe storage of supplies
- c) Condemning procedures
- d) Security of order books, prescription pads and other face-value documents

The hospice and palliative care service needs to ensure that appropriate control measures are in place and that finances are made available for the purchase of those items of equipment and supplies which have been identified as being required by clinical and managerial personnel.

#### Criteria:

# 1.6.1.1 An individual is designated to control the ordering, storage, distribution and control of equipment and supplies used in the service.

This criterion will automatically be scored compliant where a solo practitioner manages the services' equipment and supplies.

Where a supply chain manager/stock controller is employed, or the function is performed by someone other than the solo service manager, compliance will be assessed against the requirements set out in the position description.

## 1.6.1.2 Policies and procedures relating to all aspects of provisioning/supply chain management are implemented.

As a minimum, the policies and procedures discussed in a) – d) in the standard intent above should be available, accessible to personnel and implementation should be monitored.

### **1.6.1.3** Secure storage facilities are available.

The store must be lockable and exclude any unauthorised entry.

## **1.6.1.4** Prescription pads, letterheads, investigation request forms, administrative records and other official documents are accessible only to authorised persons.

Compliance will be verified by observation and personnel interviews.

### 1.7 Risk management

1.7.1 The hospice and palliative care service manager and personnel work collaboratively to develop, implement and maintain effective risk management systems in the service.

#### Standard Intent:

To plan effectively, the hospice and palliative care service must be aware of all relevant risks. The goal is to prevent accidents and injuries, maintain safe and secure conditions for patients, families and personnel and reduce and control hazards and risks. A risk management programme includes:

- Comprehensive risk assessment of the service
- Designing all aspects of the risk management plan (financial, physical, environmental, medicolegal, operational etc.)
- Implementation of the programme
- Personnel education
- Testing and monitoring the programme
- Periodic review and revision of the programme

Monitoring of all aspects of the programme provides valuable data to make improvements in the programme and further reduce risks within the service.

#### Criteria:

1.7.1.1 There are documented risk management processes for identifying all risks relating to hospice and palliative care processes and systems, personnel, patients, visitors to the service and physical facilities.

Compliance with this criterion requires documented evidence that personnel have collaboratively identified risks within the service. This document will be used to develop an action plan to eliminate or minimise risk. The risk management process should include all relevant aspects and services, for example, patient, personnel and visitor related risks; financial, corporate and legal risks; physical facility, security and environmental risks; etc. This does not necessarily require a single integrated document, provided all components are dealt with in documented systems for the relevant operational processes/functions/sections.

(NOTE: doing only monthly workplace inspections does not qualify for a compliance rating).

## 1.7.1.2 The service manager ensures the development and implementation of written policies and procedures for risk management processes and activities.

These policies and procedures must define the routine risk management processes, for example, monthly inspections to monitor risks, and the actions to be taken when risks materialise as adverse events.

### 1.7.1.3 A nominated individual with relevant qualifications, skills and/or experience supervises the implementation of the risk management programme.

In small hospice and palliative care services, this will usually be the service manager. Larger services may have a designated risk manager.

## 1.7.1.4 Ongoing in-service training of all personnel in risk management policies, procedures and principles is documented.

A record must be kept of such training and must include all personnel.

### 1.7.1.5 Risk management systems are reviewed whenever there are changes in systems and processes or physical facilities.

This will include for example, during building renovations, changing from paper-based to electronic patient records or financial documentation, changing service providers etc.

# 1.7.2 The hospice and palliative care service designs and implements a coordinated programme to reduce the risk of infection in patients and healthcare workers.

#### Standard Intent:

For an infection prevention and control programme to be effective, it must be comprehensive, encompassing both patient care and employee health. The programme is appropriate to the size and geographic location of the service, the services offered, and the patients seen by the service.

Infections can enter via patients, their families, personnel, visitors, other individuals and vectors. All areas of the service where these individuals or vectors are found must therefore be included in the programme of infection surveillance, prevention and control. Certain infections require patients suffering from these infections to be separated from non-infected patients such as patients with TB or high-risk influenza. These patients are identified when requesting an appointment and appropriately triaged.

The programme is managed by a nominated individual within the service and all personnel are informed of the nomination. Their qualifications depend on the activities they will carry out and may be met through education, training and experience. Coordination involves communication with all parts of the service to ensure that the programme is continuous and proactive.

Whatever the mechanism chosen by the service to coordinate the infection control programme, medical and nursing personnel are represented and engaged in the activities. The individual, committee, or other mechanism must also monitor those support services which may lead to the spread of infection, for example, cleaning and waste disposal.

Hand washing and disinfecting agents are fundamental to infection prevention and control. Soap and disinfectants are located in those areas where handwashing and disinfecting procedures are required. Personnel are educated in proper handwashing and disinfecting procedures.

#### Criteria:

# 1.7.2.1 A nominated individual is responsible for infection control in the service and personnel are aware of the nomination.

It is this nominated individual's responsibility to ensure that infection control policies and procedures are implemented and monitored.

## 1.7.2.2 Written policies and procedures guide personnel in the implementation of the infection control programme.

These policies and procedures must be available and accessible in the service and their implementation monitored.

### 1.7.2.3 Regular in-service training is given to all personnel in the field of infection control and is documented.

The infection control education programme needs to include policies/guidelines as well as relevant issues as they are identified. All personnel should be included in information sharing and training at regular scheduled meetings or other fora. Documented evidence (for example, minutes of meetings/attendance records) must be provided.

### 1.7.2.4 Infection control is on the agenda of all personnel meetings and discussion points are documented.

Documented evidence must be provided.

## 1.7.2.5 All patient and personnel areas of the service are included in the documented infection control programme.

This includes for example, all clinical areas, the waiting area, personnel and patient toilets, kitchen etc.

### 1.7.2.6 Handwashing and disinfecting facilities, including water, soap, paper towels or hand sanitisers are available in all relevant areas.

Compliance will be measured by observation.

#### 1.7.2.7 Personnel are constantly reminded of the importance of effective hand washing.

For example, posters are displayed at basins, hand hygiene audits are regularly conducted etc.

### **1.7.2.8** The service reports on notifiable diseases to appropriate external public health agencies.

Documented evidence is required.

## 1.7.2.9 A nominated individual has been trained in and is responsible for sterilisation procedures within the service and can describe the process in detail.

Evidence of training is required. This criterion is only applicable to those services that have onsite sterilisers.

### 1.7.2.10 Relevant personnel members are immunised against Hepatitis B according to

#### policy.

This requires the service to formally identify the categories of personnel who are at risk (including cleaning personnel if they handle healthcare related waste) and to ensure that there is a system to track that their Hepatitis B immunisations remain up to date.

## 1.7.2.11 There is a documented policy for the management of exposure to high risk infections and needle-stick injuries.

Documented evidence must be provided to demonstrate that personnel are aware of the policy and have been trained on its content and implementation. Compliance will further be verified by personnel interviews.

# 1.7.2.12 Post exposure prophylaxis is available to personnel in accordance with national policy and includes the management of the patient from whom the needle was withdrawn.

This includes exposure to high risk infections and needle-stick injuries (for example body fluid splashes etc.) The national policy must be available and known to personnel.

### 1.7.2.13 There is a documented policy for the management of body fluid spills.

The policy must include as a minimum:

• The correct cleaning procedure following a body fluid spill

• The correct procedure to follow when sluicing/washing contaminated linen

# 1.7.2.14 There is a documented policy for the triage of patients with potential communicable diseases.

These patients are identified when requesting an appointment and appropriately triaged. If it is necessary for these patients to attend the service, they are directed to a separate waiting area to prevent transmission of the infection to non-infected patients. Where there is no separate waiting area, the practitioner must attend to the patient immediately.

# 1.7.3 The hospice and palliative care service has a written policy which considers the need for infection control procedures relating to the handling, storing and disposing of waste.

### Standard Intent:

Policies need to be developed to guide personnel in ensuring their own safety, the safety of others and the safety of the environment is protected when implementing waste removal systems.

Household waste, hazardous wastes (such as chemicals and hazardous gases), pharmaceutical and healthcare waste are identified by the service and are safely controlled in accordance with a written policy. All healthcare waste is regarded as hazardous or potentially hazardous. The policy is included in the service's risk management plan.

#### Criteria:

# 1.7.3.1 The hospice and palliative care service has a waste management policy that is consistent with country-specific laws and regulations and includes the safe handling, storing and disposing of all different types of waste.

The policy must include all relevant aspects of waste management, for example, identification, colour coding, handling, storage, disposal of etc. with special reference to clinical/healthcare waste, personal protective equipment (PPE), the management of spills and the reporting and investigation of waste related incidents.

### 1.7.3.2 The policy makes provision for the appropriate management of confidential waste.

Confidential waste includes all patient and personnel related documentation and service-specific documentation for example, financial statements.

### 1.7.3.3 Waste is segregated in accordance with policies, procedures, country-specific laws and regulations.

Compliance will be measured by observation.

### 1.7.3.4 The colour of bag and type of container appropriate to the type of waste generated are available.

Compliance will be measured by observation.

#### 1.7.3.5 Waste is protected from theft, vandalism or scavenging by animals.

Compliance will be measured by observation.

#### 1.7.3.6 Waste is collected at appropriate times so that hazards are not caused.

Compliance will be measured by observation and by documented evidence that demonstrates when and by whom waste is collected.

1.7.4 The hospice and palliative care service makes provision for the safety and security of personnel, visitors, patients and facilities.

#### Standard Intent:

Consideration is given to the safety and security of personnel, visitors, patients and facilities during working hours and after hours. Plans are developed and implemented to provide protection from attack, theft or damage to the property.

#### Criteria:

# 1.7.4.1 Security systems, including guards if required, provide for internal and external security.

If the security system is outsourced (alarms/guards) the service contract must be available during the survey.

As a minimum, the service must be secured with burglar bars and security gates. Compliance will be further measured by observation of the security measures in place and whether they are appropriate for the individual setting.

## 1.7.4.2 Sufficient light sources are available to provide adequate light (no dark areas) in all areas such as the entrance, waiting rooms, halls and offices.

Compliance will be measured by observation.

### 1.7.4.3 There is effective control of access to clinical areas and store areas.

Compliance will be measured by observation.

#### 1.7.4.4 Alarm systems and signals are tested every month.

This criterion will only be applicable to those services that have alarm systems and signals (for example panic buttons) installed.

Documented evidence of testing must be provided.

# 1.7.4.5 A mechanism known to the personnel is available for summoning the assistance of security/police/protection services in the case of an emergency.

This can be achieved for example, by including the information in the orientation programme for new personnel and by displaying emergency numbers next to all telephones in the service.

#### 1.7.4.6 Reasonable measures are taken to ensure the safety of lone workers.

This criterion is only applicable where practitioners consult with patients after hours. Reasonable measures can include for example, the installation of panic buttons or notifying another person or security company that the practitioner is alone in the service. Sufficient arrangements should be in in place to ensure that a personnel member who is alone is

Sufficient arrangements should be in in place to ensure that a personnel member who is alone is safe. These arrangements must be outlined in a policy which all personnel should be aware of.

# 1.7.5 The hospice and palliative care service implements structured systems to ensure fire safety.

#### Standard Intent:

Fire is an ever-present risk in a hospice and palliative care service. As such, the service needs to plan for:

- The prevention of fires through the reduction of risks, such as the safe storage and handling of potentially flammable materials
- Safe and unobstructed means of exit in the event of fire
- Clearly depicted fire escape routes
- Inspection reports from the local fire departments
- Suppression mechanisms such as water hoses, chemical suppressants or sprinkler systems

These actions when combined, give patients, families, personnel and visitors adequate time to exit the facility safely in the event of a fire or smoke. These actions must be effective irrespective of the age, size or construction of the facility.

The fire safety plan for the service includes:

- The frequency of inspection, testing and maintenance of fire protection and safety systems, consistent with requirements
- The necessary education of personnel to protect and evacuate patients effectively in the event of fire or smoke
- The process for testing the plan for the safe evacuation of the facility in the event of a fire or smoke
- A mock evacuation to be carried out at least once a year
- The required documentation of all inspection, testing and maintenance systems

The service develops and implements a policy and plan to eliminate smoking in the facility or to limit smoking to designated non-patient care areas.

### Criteria:

# **1.7.5.1** There are structured systems and processes in place to ensure that all occupants of the service's facilities are safe from fire or smoke.

There are documented fire safety systems which include all the relevant aspects of fire safety, for example training, rehearsals, servicing and storage of equipment, escape route signage, storage and handling of flammable materials, etc.

# 1.7.5.2 Documented certification is available from the relevant authority to show that the facility complies with applicable laws and regulations in relation to fire safety (fire clearance certificate).

As per the intent statement, compliance with this criterion requires documented evidence of an official inspection to confirm that the building complies with national fire safety requirements.

The service manager must obtain a copy of the documentation from the landlord if the service does not own the building.

### 1.7.5.3 Firefighting equipment is regularly inspected and serviced at least annually, and the date of the service is recorded on the apparatus.

Abatement systems as per country specific requirements will be reflected in the certification as required in 1.7.5.2. It is essential that the testing and servicing of all fire safety equipment is up to date, automatic abatement systems are regularly tested, fire and smoke detection systems are tested, and automatic abatement doors are not forced to remain open by means of wedging or putting objects against them.

Documented evidence of inspection, testing and maintenance of fire safety equipment is required. This may include the fixing of service labels onto the equipment itself.

#### 1.7.5.4 Flammable materials are clearly labelled and safely stored.

Flammable materials are identified by the service and stored in accordance with the national safety regulations.

The storage precautions are applicable to all areas/services/departments where flammable materials are used. The appropriateness of the storage facility will be determined by the quantity and flashpoint of the materials stored. Bulk storage requirements and registration will be determined by country specific regulations.

## 1.7.5.5 Sufficient electrical socket outlets are provided in all areas to avoid overloading of individual outlets and to minimise fire risks.

Compliance will be measured by observation.

### 1.7.5.6 Easily recognised and understood signs prohibiting smoking are displayed in areas where flammable materials and combustible gases are stored.

Compliance will be assessed during the assessment of the areas where such materials are stored.

## 1.7.5.7 A floor plan showing the location of firefighting equipment, electrical distribution board, evacuation routes and emergency exits is displayed.

The display of such plans throughout the service will be observed during the visit to each area.

1.7.5.8 Annual personnel training in fire prevention and evacuation procedures is documented.

A fire safety evacuation plan must be developed by the service. Personnel training must be provided, and evacuation exercises held annually. Documented evidence that the plan is physically rehearsed will be required.

#### 1.7.5.9 A mechanism known to personnel is available for summoning the fire service.

This can be achieved for example, by including the information in the orientation programme for new personnel and by displaying emergency numbers next to all telephones in the service.

# 1.7.6 The hospice and palliative care service develops a written plan to respond to emergencies.

#### Standard Intent:

Personnel may be affected by community emergencies, epidemics and major events such as damage caused by natural disasters and this in turn may affect the functioning of the service. The service should also be prepared for bomb threats, flooding, natural disasters, explosions and the consequent loss of vital services, failure of water and electrical supplies and hostage taking.

18

There may be a time when it is necessary to evacuate patients, visitors and personnel. This can only be done quickly and effectively if personnel are trained in evacuation procedures.

The emergency plan for the service includes:

- The necessary education of personnel to protect and evacuate patients effectively when an emergency occurs
- The need for each personnel member to participate in at least one emergency preparedness test per year

#### Criteria:

1.7.6.1 There is a written plan to deal with emergencies (including bomb threats, fire, flooding, natural disasters, failure of water and electrical supplies).

The documented plan is up to date and is available in all areas of the service.

## 1.7.6.2 There are site and floor plans that depict the locations and layout of the main services (for example, water, sanitation, electricity supply).

It is very important that all personnel know where to switch off the main services, for example, water, electricity and, where installed, oxygen supply. Compliance will be measured on documented evidence and personnel interviews.

# 1.7.6.3 Documented evidence is available to show that the personnel participate in a rehearsal of the emergency plan at least annually.

The emphasis of this rehearsal must be on the emergency situations mentioned in the standard intent.

Documented evidence must be provided.

#### 1.7.6.4 First aid kits and materials for healthcare workers are available.

Botswana specific occupational health laws and regulations should dictate the contents of the first aid kits.

Please note that the service may stock the required content as part of their regular stock. Compliance will be measured on the availability of the required stock.

### 1.8 Information Management and Quality Improvement

1.8.1 The hospice and palliative care service has a system to ensure that data and information is made available to meet user needs and the needs of those outside the service who require data and information from the service.

#### **Standard Intent:**

To provide coordinated and integrated services, hospice and palliative care services rely on information relating to individual patients, care provided, results of care and their own performance.

Every service seeks to obtain, manage and use information to improve patient outcomes as well as individual and overall performance. The information management process makes it possible to combine information from various sources and generate reports to support decision making. The combination of clinical and managerial information supports the leaders of the service to plan collaboratively.

Planning incorporates input from a variety of sources:

- The care providers
- The administration team
- The service managers

• Those inside and outside the service who require information about the service's operational and care processes

Those individuals in the service who generate, collect, analyse and use the information are educated and trained to participate effectively in the management of information and to understand the need for security and confidentiality of this information.

#### Criteria:

## **1.8.1.1** There is a documented policy for collection, collation, validation and distribution of data which is implemented.

The policy must define those permitted access to each category of data and information.

1.8.1.2 Clinical, managerial and administrative personnel participate in developing and implementing an information system to support patient care and service management.

This does not have to be a single system, nor does it have to be electronic. Paper-based information system/s are also acceptable. The information required by the criteria must encompass at least information relating to individual patients, care provided, results of care and the palliative care service's own performance.

# 1.8.1.3 Clinical and managerial data and information are integrated as needed to support decision-making.

Assessment of compliance is based on the availability of reports on the various types of data as well as documented evidence (for example, minutes of meetings or other form of communication) of discussions on the information and how this is taken into consideration to assist with decision-making processes. This needs to happen at all levels of the service and not just at management level, as information also needs to be available on departmental operations such as personnel matters, financial aspects, supply management, outcomes of quality improvement programmes, results from clinical and patient record audits, negative incidents, etc.

## **1.8.1.4** Required technology and other resources support the implementation of the data and information management system.

Resource requirements may differ vastly between paper-based and computerised systems and the assessment of compliance needs to take these factors into account.

### **1.8.1.5** Security and confidentiality of data and information is maintained.

Security relates to access control in terms of passwords, back up processes as well as archiving of paper based records. Up to date anti-virus/anti-malware software is in place. Confidentiality aspects need to be documented as part of the information management processes for the various types of information, whether it be financial data, personal information on personnel, patient information, etc.

Where applicable, country-specific legal requirements need to be considered.

# 1.8.1.6 Documented procedures which outline the processes to provide required information to individuals and agencies outside the service when required by laws or regulations are implemented.

Documented evidence of reporting is required. This includes notifiable disease reporting, other statistics required according to country-specific legislation and information provided to healthcare funders.

## **1.8.1.7** The service manager or delegated person checks the integrity of data leaving the facility for completeness, correctness and consistency.

The integrity of data refers to the validation of raw data to ensure accuracy of information. Evidence of quality checks of the data before it leaves the service and action taken when deficiencies in data quality and timeframes of reporting are identified.

This includes for example, ICD 10 codes supplied to healthcare funders, national statistics etc.

#### 1.8.2 There is a system for the analysis of data.

### **Standard Intent:**

To reach conclusions and make decisions, data must be aggregated, analysed and transformed into useful information. Data analysis is done by individuals with an understanding of information management who also have skills in data aggregation methods and in the use of various statistical tools. To maximise effectiveness, data analysis involves the individuals responsible for the process or outcome being measured. These individuals may be clinical, managerial, administrative or a combination. When implemented in this way, data analysis provides continuous feedback of quality management information to help those individuals make decisions and continuously improve the process under review.

The hospice and palliative care service determines how often data is aggregated and analysed. The frequency depends on the activity or area being measured, the frequency of measurement, and the service's priorities. For example, clinical data may be analysed once or twice yearly to monitor care in clinical management and the performance of contracted services may be analysed quarterly to ensure on-going adequacy of service provision. Aggregation of data at points in time enables the service to judge a process's stability or an outcome's predictability in relation to expectations. Computers are a useful tool in this process.

The goal of data analysis is to be able to compare the service in four ways:

- With itself over time
- With other similar health facilities
- With standards
- With evidence-based practice and guidelines

These comparisons help the service to understand the source and nature of undesirable change and help to focus improvement efforts.

Understanding statistical techniques is helpful in data analysis, especially in interpreting variation and in deciding where improvement is needed. Run charts, control charts, histograms and Pareto charts are examples of statistical tools useful in understanding trends and variations in health care.

### Criteria:

#### Data is aggregated, analysed and transformed into useful, relevant information for 1.8.2.1 monitoring and improving the service.

The information generated by data collection tools, for example infection control audit tools, patient satisfaction surveys etc. must be analysed.

This criterion will be scored non-compliant where there is only raw data available.

#### 1.8.2.2 The frequency of data collection and analysis is appropriate to the process under study.

Compliance will be measured on documented evidence that the frequency of data collection is established for each process under study.

#### 1.8.2.3 Statistical tools and techniques are used in the analysis process when suitable.

Documented evidence will be required for compliance.

#### 1.8.2.4 Information relating to the quality of the services delivered, is made available to the patients of the hospice and palliative care service and other relevant parties.

This can be achieved by displaying the results in the waiting area, on personnel notice boards, on the hospice and palliative care service's website etc. The method of information sharing and the parties with whom it is shared will depend on the nature of the information.

1.8.3 The hospice and palliative care service appoints an individual or committee which represents all services within the organisation to guide the quality improvement process.

#### Standard Intent:

Leadership and planning are essential if the service is to initiate and maintain improvement. All leaders participate in establishing the service's commitment and approach to improvement as well as programme management and supervision.

Improvement programmes are most effective when they are planned organisation-wide. The framework for these is provided in a written plan for the programme, which is inclusive of all services in the organisation and of all related quality activities such as infection control and risk management activities.

The quality improvement process must:

- Be consistent with the organisations mission and strategic plans.
- Meet the needs of patients, families, personnel and other healthcare team members
- Use current clinical practice guidelines and other relevant evidence-based information
- Include sound business practices
- Incorporate relevant risk management information

The service managers and employees prioritise those critical, high risk, high cost, high volume or problem-prone processes that are most directly related to the quality of care and the safety of the environment. Available data and information are used to identify priority areas.

Participation in data collection and analysis and the planning and implementation of quality improvement programmes require knowledge and skills. Personnel receive training consistent with their role in the planned activity. The service identifies or provides a knowledgeable trainer for this education. Personnel are permitted to attend training as part of their assigned responsibilities. Managerial and clinical personnel participate in the process.

### Criteria:

# 1.8.3.1 A designated individual oversees the information and quality management and improvement processes.

This requires that an individual has the assigned duty of overseeing and taking responsibility for all aspects of information and quality management and improvement processes. The training and experience required will depend on the level of care provided by the service and the complexity of the information systems for which the individual is responsible.

In some services this may be the service manager or the solo practitioner, in other services a quality manager may be appointed.

# **1.8.3.2** All service personnel are informed about the function of the information and quality management individual.

Compliance will be measured during personnel interviews.

### 1.8.3.3 There are formal systems and processes for quality management and improvement.

This includes all aspects of the service. Such processes may exist in different formats for example, a detailed single document, different documented systems or electronic modules. Whatever format exists, the intention is that the "processes" should be comprehensive and reflect all components of quality management and improvement in the service.

#### **1.8.3.4** Personnel are trained in the implementation of quality management processes.

Evidence of compliance could exist in the form of attendance registers at such training sessions, information sharing meetings, availability of training manuals, policies and procedures etc.

# 1.8.3.5 The service manager provides technology, support and resources (including time) for the assessment and improvement of the service's management, clinical and support processes and this is reflected in the strategic plan/business plan for the service.

The technology, support and resources required will be determined by the design and complexity of the quality management and improvement framework. This may include aspects such as training in quality methodology, aligning work schedules to allow for time to spend on relevant activities, providing assistance with data management (manually or electronically), etc.

## 1.8.3.6 The leaders set priorities for improvement activities based on high risk, high cost and/or high volume or problem-prone areas.

As part of the service's quality management and improvement framework, the leaders should play an active role in collaborating with teams and individuals in the service to decide which activities to include in the formal monitoring for quality improvement purposes.

# 1.8.3.7 Each function within the service implements relevant quality improvement activities.

The hospice and palliative care service quality management and improvement framework needs to guide personnel on how to establish quality improvement processes and initiatives with regard to the development of relevant standards for their service, for example, administration, housekeeping, clinical care etc., the development of measurable indicators for monitoring purposes, and the implementation of remedial actions.

# 1.8.3.8 The objectives, scope, implementation and effectiveness of the activities to assess and improve quality are evaluated regularly and revised as necessary.

Documented evidence must be provided to demonstrate that the quality management and improvement programme is evaluated and revised as necessary.

# 1.8.4 Key monitoring, measurement and evaluation processes are planned and implemented.

### **Standard Intent:**

A comprehensive approach to quality management and improvement includes the following processes:

- Planning for improvement in quality
- · Monitoring developments regarding best practice and implementing these as appropriate
- Monitoring processes through indicator data collection
- Analysing the data
- Implementing and sustaining changes that result in improvement

These processes provide the framework for the service team to achieve ongoing quality improvement thereby assuring their patients of quality care, reflective of current best practice in the rapidly developing world of health care.

The monitoring of clinical and management functions results in the accumulation of data and information. An understanding of how well the service is doing rests on repeated analysis of the data, information over time and comparison with other hospice and palliative care services. The leaders of the service make the selection of key measures to be included in the monitoring activities.

#### Criteria:

# 1.8.4.1 Targets (goals) are set for the desired levels of patient care and service management.

Documented evidence is required.

# 1.8.4.2 The service collects data relevant to each identified indicator in the quality improvement programme for the monitoring and improvement of patient care and service management.

Documented evidence is required.

# 1.8.4.3 As part of clinical monitoring, structured clinical audits are done to monitor the implementation of clinical guidelines.

Clinical audits should measure actual performance against current best practice identified in guidelines compiled from evidence-based practice. Indicators of performance should be selected from these guidelines.

Measurement of these indicators will provide information on current performance and evidence of change over time following the implementation of quality improvement plans.

### 1.8.5 Analysed data is used to improve the quality of managerial and clinical services.

#### Standard Intent:

Personnel selected to participate in the management and supervision of improvement programmes are those closest to the activities or processes being monitored, studied or improved.

When negative incidents or adverse events occur, the service and its leaders evaluate the processes that led to the error or event. Faulty processes are redesigned, tested and monitored to ensure that the same or similar errors or events do not occur again.

Case reviews are performed for all new diagnoses of significant, life threatening diseases, unexpected deaths and management of emergency cases that present at the service. The routine review of these cases assists in the identification of what went well and what could have been done better to inform continuous improvement in clinical care and enable sharing of best practice.

When the service detects or suspects an undesirable change from what is expected, it initiates intense analysis to determine where best to focus improvement. In particular, intense analysis is initiated when levels, patterns or trends vary significantly or undesirably from:

- What is expected
- Those of other hospice and palliative care services
- Recognised standards

Each service establishes which events are significant and the process for their intense analysis. When undesirable events can be prevented, the service works to carry out preventive changes.

#### Criteria:

# 1.8.5.1 Information from the findings of quality assessment and improvement activities is used to detect trends, patterns and opportunities to improve or prevent potential problems.

This requires evidence that areas for improvement are identified from all the data collected during service activities.

# 1.8.5.2 When appropriate, an improvement plan is developed in collaboration with all relevant team members and an implementation process and acceptable timeframe

#### is agreed to by the team and implemented.

Documented evidence must be provided.

## 1.8.5.3 A time for repeat data collection and analysis is agreed and completed and the results discussed by the relevant team members.

Documented evidence must be provided.

#### **1.8.5.4** The service holds regular meetings to discuss significant clinical issues.

Evidence of significant clinical issues can be determined from the incident management processes and during patient record audits and personnel interviews. Minutes of meetings and attendance records must be provided as evidence of compliance with this criterion.

## 1.8.5.5 Information from a validated patient/family satisfaction audit tool is used to improve the quality of service delivery.

This requires that the service does more than just provide information about the complaints process. Formal patient/family satisfaction surveys must be conducted regularly using an audit tool that is specifically designed to elicit information about the service and the services that it offers.

The tools used to measure patient feedback need to be rigorous and include all areas of the service (for example, waiting times, attitude of personnel, cleanliness of toilets, communication with clinical personnel, education etc.) to ensure the integrity of data subsequently used by services for quality improvement purposes.

The service must decide on the method, frequency and number of patients to be surveyed but compliance with the criterion requires that it is representative of the size and the services offered. The service needs to further provide documented evidence that the information from the survey was used to improve the quality of service delivery.

# 1.8.6 The hospice and palliative care service has a documented policy for formal review of adverse events within the service.

#### Standard Intent:

As a minimum, the service should have a system for recording, analysing, discussing and learning from adverse events within the service. This should include clinical, managerial, administrative and all other adverse events. The data collected, analysis of the data, discussions surrounding the event, decisions based on the discussions and any suggested changes should be documented and retained. A nominated personnel member must be responsible for this process and for the implementation, monitoring and review of the changes. This ensures that the organisation learns from its mistakes and prevents recurrence of the same mistakes, thereby providing continuous improvement in service delivery. Lessons learned could be shared with other hospice and palliative care services to provide benchmarking.

Clinically significant events such as medication errors, for example, prescribing a drug to a patient when the records indicate that the patient is allergic to the drug or patient identification errors, for example, performing a laboratory or radiological test on the wrong patient should always precipitate intense analysis to understand the cause and prevent recurrence.

All records relating to these discussions should be anonymised.

### Criteria:

1.8.6.1 A documented procedure for the monitoring of near misses/incidents/adverse (sentinel) events is available, which includes the documentation of interventions, responses and corrective actions taken to recorded incidents.

A policy and procedure should be available to all personnel detailing the steps to follow in the event of such an incident occurring. This includes the reporting, recording and investigation of the event as well as the response to the event and the actions taken to prevent recurrence of the event, or minimise harm should the event recur.

Personnel will be interviewed to confirm that they are familiar with the contents of these documents.

#### **1.8.6.2** Formal significant event analyses are undertaken when necessary.

The service manager/risk manager must identify those events where formal event analyses must be conducted as required by law, regulation and policy.

All events that meet the definition must be assessed by performing a credible root cause analysis. When the root cause analysis reveals that systems improvement or other actions can prevent or reduce the risk of such events recurring, appropriate action must be taken to achieve this risk reduction.

## 1.8.6.3 Notes are kept regarding the data analysis and actions arising from formal incident reviews.

Documented evidence will be required for compliance.

1.8.6.4 All changes to policy and procedure that are identified as a result of these formal incident reviews are documented and included in new policies or incorporated into existing policies.

Documented evidence will be required for compliance.

**1.8.6.5** The implementation of these new policies/procedures is delegated to a nominated individual who is responsible for monitoring the effectiveness of the changes and arranging reviews if appropriate.

Documented evidence will be required for compliance.

1.8.7 The hospice and palliative care service regularly assesses the quality and the completeness of the patient record content.

#### Standard Intent:

The clinical record of each patient needs to contain sufficient information to support the diagnosis, justify the treatment provided and document the care given. A standardised format and content of patient's records will help promote the integration and continuity of care among the various providers of care to the patient. The service determines the specific data and information recorded in the clinical record. Each service has a process to assess the quality and completeness of patient records. This is a part of the performance improvement activities of the service and is carried out regularly. This information is used to improve the quality of clinical record keeping.

Clinical record review is based on a representative sample of the practitioners providing care and of the types of care provided.

#### Criteria:

### **1.8.7.1** Patient records are reviewed regularly, and results analysed as part of the quality improvement process.

Documented evidence of such audits must be provided. Evaluation of results and remedial action taken must be documented as well as maintenance of achieved improvements over time.

#### **1.8.7.2** The review uses a representative sample.

A representative sample is a sufficiently large sample which includes records for all practitioners providing patient care and all types of care provided. The review should be conducted by clinical professionals authorised to make entries in the patient record.

# 1.8.7.3 Records comply with professionally acceptable norms (including legal requirements where applicable) relating to signature, use of abbreviations and legibility.

Compliance will be verified during the patient record audit.

### 1.8.7.4 Standardised diagnosis and procedure codes are used.

Compliance will be assessed by comparing the codes used in the service with country-specific directives. The responsible department should therefore have both the directives and the service's coding system available for comparison.

### 1.8.7.5 Symbols and definitions are standardised.

The use of abbreviations provides an opportunity for miscommunication and confusion which can result in patient harm. Best practice is therefore not to use them at all. However, where they are permitted, their use must be standardised, and all relevant personnel must be made aware of the meaning of each abbreviation.

### 2 FACILITIES, EQUIPMENT AND CONTRACTED SERVICES

### **OVERVIEW OF FACILITIES, EQUIPMENT AND CONTRACTED SERVICES**

Laws, regulations and inspections by national governmental and local authorities determine in large part how a facility is designed, used and maintained. All hospice and palliative care services, regardless of their size and resources, must comply with these requirements as part of their responsibilities to patients, families and personnel. The organisation must begin by complying with relevant laws and regulations. Over time they become more knowledgeable about the details of the physical facility they occupy. They begin to gather data proactively and carry out strategies to reduce risks and enhance the patient care environment.

Buildings, grounds, utilities and equipment are maintained and do not pose hazards to the occupants. The personnel providing the maintenance service are knowledgeable and competent. Buildings, grounds and utilities are provided and maintained to an acceptable standard in order to ensure that they do not present a risk to the safety and wellbeing of the occupants.

Ensuring that buildings, grounds and utilities are provided and maintained requires that the relevant personnel member/s is/are knowledgeable and competent.

The organisation needs to have the necessary equipment for comprehensive hospice and palliative care. To meet the standards, equipment must be in good working order. There is a wide range of equipment that the organisation may need in order to provide services which meet national and local needs, serve the nature of the service and support any procedures that the service performs.

Where service contracts/agreements are awarded to outside agencies, the hospice and palliative care service must ensure that there is a written contractual agreement outlining the service and standard of service to be delivered. Contracted agencies must undertake to provide services in accordance with infection control and health and safety requirements. Where applicable the contracted personnel receive training with regard to waste disposal and infection control if this has not been undertaken to a satisfactory level by the contracted company.

### Standards:

### 2.1 Access to care

2.1.1 Measures are in place to ensure that patient access to the hospice and palliative care service is facilitated by adequate infrastructural arrangements.

### Criteria:

#### 2.1.1.1 Directional signs to the service are clearly readable and up to date.

This requirement ensures that members of the public, both locals and visitors, who are not familiar with the location of the service will be able to find it when necessary.

# 2.1.1.2 A telephone/emergency number is available and provided to patients on registration and on request.

This can be in the form of a business card or patient information leaflet. Where the service does not provide emergency services the emergency number must reflect the closest emergency facility to the palliative care service.

### 2.1.1.3 A phone number for the after-hours service is clearly displayed on the outside of the facility.

Where the service does not offer an after-hours service, an emergency number must be displayed. Compliance will be verified by observation.

# 2.1.1.4 Parking is provided close to the building entrance for patients, including the physically challenged.

Surveyors will make a judgement based on the size of the facility and services provided.

#### 2.1.1.5 There is wheelchair access to and within the building.

This will be assessed during the visit to each hospice and palliative care service.

#### 2.1.1.6 Ramps and stairs include safety features such as rails.

The provision of such safety features will be assessed during the visit to each hospice and palliative care service.

# 2.1.2 Functional facilities are available to provide safety and comfort for patients, personnel and other visitors.

#### **Standard Intent:**

In order to provide safe patient care, each unit requires adequate resources. The building is appropriate for a healthcare service in terms of size and layout.

The physical facilities required include adequate office accommodation for personnel, a designated sluice area which is hygienically clean at all times, treatment and dressing rooms. Cleaning equipment is safely stored in a room or cupboard used for this purpose only. There are adequate toilet facilities for the number of patients as determined by country-specific legislation. There is adequate lighting and ventilation.

Each consulting room, which may include an attached examination room/area:

- Is free from excessive noise
- Has adequate lighting
- Is maintained at a comfortable ambient temperature
- Ensures patient privacy when the patient needs to undress for a clinical examination (for example the use of adequate curtains or screens and gowns or sheets)

Buildings and grounds are maintained and do not pose hazards to the occupants. The construction of the building in terms of walls, ceilings, floors, doors and windows must be sound. The general appearance will be examined for neatness, condition of paintwork, signs of leakage, mould spots etc.

#### Criteria:

# 2.1.2.1 Laws, regulations and other requirements applicable to the organisations facilities are implemented and are available to the personnel.

A copy of the "Permit to Occupy" issued in terms of the Building Control Regulations must be available during the survey. Where the palliative care service is a tenant, a copy must be obtained from the landlord.

Copies of the laws, regulations and other requirements applicable to the structure of the facility should be available and accessible to personnel in either hard copy or electronic format and should include at least the Building Control Act and regulations.

### 2.1.2.2 The building is appropriate as a healthcare facility in terms of size and lay-out.

Compliance will be measured by observation.

#### 2.1.2.3 The lay-out of the facility allows for effective flow of patient care.

Compliance will be measured by observation.

# 2.1.2.4 The waiting area is sufficient to accommodate the usual number of patients and other people who could be waiting at any given time.

Compliance will be measured by observation and by examination of daily patient attendance figures.

#### 2.1.2.5 The waiting area caters for the specific safety needs of children, where applicable.

This includes for example, no open electrical sockets, measure to prevent children leaving the palliative care service unnoticed, measures to prevent injury from inappropriate toys (ingestion of small objects, sharp protrusions, easily cleanable), measures to secure hazardous substances etc.

## 2.1.2.6 There is a designated space that offers privacy for every member of the interdisciplinary team working in the service at any time.

Compliance will be measured by observation.

## 2.1.2.7 All areas of the facility, including consultation rooms are clean, well ventilated and well maintained.

Compliance will be measured by observation.

#### 2.1.2.8 Sufficient office/administrative space is available for the personnel.

Compliance will be measured by observation.

#### 2.1.2.9 Toilet/washroom facilities are clean and in working order.

Compliance will be measured by observation.

#### 2.1.2.10 Separate sanitary facilities are provided for personnel.

Compliance will be measured by observation.

#### 2.1.2.11 There is a separate, secure area for personnel with adequate secure storage

#### facilities for outdoor clothing, handbags and personal possessions.

Compliance will be measured by observation.

# 2.1.2.12 Required furniture is available according to established lists and functioning properly.

The service must compile and maintain an inventory of furniture which must be available at the survey.

As a minimum, a hospice and palliative care service must have at least the following:

- Chairs (in the waiting area, for administrative personnel, for clinical personnel and for patients and families in the treatment areas)
- Desks/workstations (sufficient for the size of the service)
- Examination bed (in each examination area)
- File cabinets
- Locking cabinet (for all confidential documentation)
- Refuse bins for domestic waste in each functional area

### 2.1.2.13 Hand washing facilities, including water, soap and paper towels are available for patients and personnel.

Compliance will be measured by observation.

#### 2.2 *Medical equipment*

2.2.1 Medical equipment is available and properly maintained to meet the needs of the patient population.

#### **Standard Intent:**

Hospice and palliative care services are responsible for ensuring that appropriate medical equipment is available and ready for use at all times. There is an accountable, systematic approach to ensuring that cost-effective, safe and appropriate medical equipment is available to meet the demands of quality patient care.

The service manager takes responsibility for ensuring that medical equipment is available, appropriately maintained and calibrated and that the relevant personnel are competent to use it.

Each service ensures that it has the required equipment for comprehensive primary care and the level of services provided. The following is recommended:

- Auroscope
- Blood glucose monitoring equipment
- Diagnostic Set
- Disposable syringes and needles
- Examination light
- Gloves (sterile and non-sterile)
- Height measurement device
- Measuring tape
- Monofilament for sensation testing
- Nebulising equipment and supplies
- Oxygen
- Patella hammer
- Peak flow meter
- Scales
- Spacer for inhaler
- Specimen collection equipment
- Sphygmomanometer with small medium and large cuffs
- Stethoscope

- Surgical masks
- Thermometer
- Torch
- Tourniquet
- Urine testing strips

#### Criteria:

### 2.2.1.1 Implemented policies and procedures guide the management of medical equipment.

Policies and procedures that detail how equipment is to be used, maintained and repaired and the level of personnel training required to use the equipment are implemented.

# 2.2.1.2 A designated individual supervises the management of medical equipment in the service.

The responsibilities of this individual include as a minimum:

- Ensuring that the required medical equipment as listed in the standard intent above is available in the service
- Audits on available medical equipment (for example to ensure that it is correctly used, calibrated, stored etc.)
- Compiling an inventory of medical equipment, which includes description, make, manufacturer, model, serial number, tracing number, date of purchase, purchase price, list of accessories, supplier details and guarantee expiry dates
- Regular inspections of medical equipment
- Testing of medical equipment, as appropriate to its use and requirements
- Ensuring planned preventative maintenance of equipment

#### 2.2.1.3 There is an inventory of the medical equipment available in the service.

Documented evidence is required.

#### 2.2.1.4 The supply of medical equipment is adequate to meet the needs of the service.

Compliance will be verified by observation and during personnel and patient interviews.

### 2.2.1.5 Records are kept of the checking and maintenance of medical equipment.

Documented evidence is required.

# 2.2.1.6 There is a documented procedure known to the personnel for reporting defects in medical equipment.

Compliance will be measured during personnel interviews.

### 2.3 *Maintenance management*

2.3.1 Facility maintenance is managed to ensure the provision of a safe and effective service.

#### **Standard Intent:**

Management ensures that sufficient, competent personnel are available to manage routine and emergency functions and meet the needs of a safe and effective health service. Personnel may be in the employ of the hospice and palliative care service or be contracted out. Where there are contracted personnel, there must be clearly specified contracts, outlining their roles and responsibilities.

Criteria:

# 2.3.1.1 Written policies and procedures guide service personnel on the implementation of all maintenance service requirements.

This criterion is assessed based on the evidence of effective maintenance found throughout the service during the survey.

If this criterion is scored PC or NC, the transgressions need to be recorded in detail to motivate for the PC/NC rating and it should be based on accurate facts.

# 2.3.1.2 A designated, competent individual is responsible for supervising the maintenance of buildings, grounds and utilities.

If this role is fulfilled by the service manager or solo practitioner, compliance will be measured on evidence of effective maintenance of the buildings, grounds and utilities. Where a designated individual has been identified to fulfil this role, compliance will be measured in accordance with the requirements set out in the employee's position description.

# 2.3.1.3 Where these services are outsourced the, personnel have access to a list of these private contractors/service providers with their contact numbers at all times.

Compliance will be measured on documented evidence and during personnel interviews.

# 2.3.1.4 Written agreements ensure technical back-up services are available at all times during the opening hours of the service.

Documented evidence is required.

#### 2.3.1.5 Basic maintenance equipment, tools and spare parts are available.

The type and number of items available will vary in each service according to the size of the facility and the services offered but should be suitable and sufficient to prevent unnecessary risk to patients, visitors and personnel or cessation of services due to deficiencies that are easily rectifiable.

# 2.3.2 The hospice and palliative care service implements a documented preventative planned maintenance programme for buildings, grounds and utilities.

### Standard Intent:

The service plans for regular in-house inspection of facilities to avoid hazards.

- Building maintenance includes the monitoring of the following aspects:
- a) The general appearance of the inside and outside structure which includes the construction of walls, floors, doors and windows.
- b) The condition of the paintwork
- c) Water leaks, mould spots
- d) Electrical wiring, for example exposed wires, switches, electrical sockets
- e) Maintenance of the grounds (no litter, neat garden and grass kept short)

### Criteria:

# 2.3.2.1 The service plans and budgets for the upgrading or replacing of systems, buildings or components needed for the continued operation of a safe and effective facility.

Documented evidence must be provided for example in the budget and/or strategic plan.

# 2.3.2.2 The service has a documented preventative maintenance management plan in place.

Where the service is a tenant, parts of the preventative maintenance plan may be the function of the landlord. There must however still be documented evidence provided to the surveyors to demonstrate

that the landlord has a preventative maintenance plan for the facility. This will allow the surveyors to assess the responsibilities of the landlord and the responsibilities of the service.

### 2.3.2.3 Documented inspections of the buildings and grounds are conducted at regular intervals as determined by policy.

The policy must include at least a) – e) in the standard intent above. Documented evidence will be required.

#### 2.3.2.4 There is a documented procedure known to the personnel for reporting defects.

Compliance will be measured during personnel interviews.

2.3.3 Information and communication technology (ICT) equipment is available and properly maintained to meet the needs of the service.

#### **Standard Intent:**

The hospice and palliative care service is responsible for ensuring that appropriate ICT equipment is available and ready for use at all times. There is an accountable, systematic approach to ensuring that cost-effective, safe and appropriate equipment is available to meet the demands of quality patient care.

Managers take responsibility for ensuring that ICT equipment is available and appropriately maintained and that personnel are competent to use it.

#### Criteria:

#### 2.3.3.1 Policies and procedures guide the management of ICT equipment are implemented.

All key processes that relate to the management of ICT equipment should be identified and the correct manner of performing the tasks documented. The purpose of this requirement is to ensure that important tasks are performed correctly and consistently.

## 2.3.3.2 A designated individual supervises the management of ICT equipment in the service.

If this role is fulfilled by the service manager or solo practitioner, compliance will be measured on evidence of effective management of ICT equipment. Where a designated individual has been identified to fulfil this role, compliance will be measured in accordance with the requirements set out in the employee's position description.

### 2.3.3.3 There is an inventory of all ICT equipment.

This does not have to be a separate inventory, it can form part of a single inventory document for the service. All ICT equipment must be included in the inventory (printers, laptop computers, desktop computers etc.)

## 2.3.3.4 All desktop and server computers are provided with surge protection and the server is protected by an uninterruptable power supply.

Compliance with this criterion will ensure that data is not lost due to loss of power and that ICT equipment is not damaged, with potential loss of data, due to power surges.

## 2.3.3.5 A documented policy is available clearly describing appropriate back up procedures for electronic records.

Documented evidence will be required.

#### 2.3.3.6 Regular checks are made and documented to ensure that backup has been

Documented evidence will be required.

#### 2.3.3.7 Records are kept of the checking and maintenance of ICT equipment.

Documented evidence will be required.

# 2.3.3.8 The service has appropriate virus protection software and firewall protection to ensure adequate security and confidentiality of patient related information.

Documented evidence will be required.

### 2.3.3.9 There is documented evidence that relevant personnel are regularly trained to use/operate ICT equipment.

Documented evidence will be required.

### 2.4 Patient record and personal information safety

2.4.1 A system for the storage, retrieval, retention and destruction of health records and personal information that meets the need for confidentiality and safety is implemented.

#### Standard Intent:

Policies and procedures as well as managerial supervision ensure the safety and confidentiality of patient records and personal information.

The hospice and palliative care service develops and implements a policy that guides the storage, retrieval, retention and destruction of patient records. Patient records and other data and information are retained for sufficient periods to comply with law and regulation and support patient care, the management of the service, legal documentation, research and education. The retention policy is consistent with the confidentiality and security of such information. When the retention period is complete, patient records and other data and information are destroyed appropriately.

The policy will define:

- a) Levels of access for individual personnel members
- b) The user's obligation to keep information confidential
- c) The process followed when confidentiality and/or security are violated
- d) Secure storage and retrieval of paper based and electronic patient records and personal information
- e) The protection of records against damage, fire, flood, theft, loss and electronic failure
- f) The arrangements for succession of patient records in the event of closure of the hospice and palliative care service or death of the practitioner
- g) The criteria for selection and method of destruction of patient records and personal information

Personnel members responsible for health record management must have suitable training and experience.

Patient records must be readily available each time the patient visits the service and therefore must be filed in such a way that they are easily identified.

#### Criteria:

# 2.4.1.1 Policies and procedures for the storage, retrieval, retention, destruction and confidentiality and safety of patient records and personal information are implemented.

Policies and procedures must include at least a) – g) in the standard intent above.

# 2.4.1.2 Designated individuals are responsible for the storage, maintenance and retrieval of patient files.

Only those designated individuals may have access to the patient records. There must be evidence of signed confidentiality agreements with each individual who has access to patient information.

# 2.4.1.3 The filing system allows for incorrectly filed records to be easily identified (for example, through colour coding of the records).

Compliance will be measured by observation.

# 2.4.1.4 Storage space for health records is sufficient and secure against unauthorised entry.

Compliance will be measured by observation.

### 2.4.1.5 Records that have been removed from the designated storage area for use are kept out of public view.

Compliance will be measured by observation.

### 2.4.1.6 The retention process provides the necessary confidentiality and security.

This will be confirmed by observation.

### 2.5 Cleaning and laundry services

2.5.1 The cleaning and laundry service is managed to ensure the provision of a safe and effective service.

#### **Standard Intent:**

Service managers must ensure that a documented policy is available detailing the cleaning and laundry duties to be undertaken and the frequency with which these need to be performed. Where these services are outsourced a contract defines the details of the service to be provided.

The service manager must ensure that facilities and equipment are adequate for the provision of a safe and effective cleaning and laundry service.

#### Criteria:

# 2.5.1.1 Written policies and procedures relating to cleaning and laundry duties and the frequency with which these duties are carried out are implemented and monitored.

Policies and procedures must detail how the core functions are to be performed. Implementation of these policies and procedures should be monitored to ensure consistent service delivery according to agreed standards of practice.

Compliance will be verified by documented evidence of monitoring activities and by observation of implementation of the policies.

# 2.5.1.2 There is evidence that laundry used for patients is washed separately from domestic laundry.

Compliance will be verified during personnel interviews.

2.5.1.3 Adequate, secure and well-ventilated storage areas are available for cleaning and laundry equipment and chemicals.

Chemicals for cleaning and laundry are safely stored in a well-ventilated, locked cupboard or room out of the reach of patients, children and visitors. There is adequate storage place for brooms and mops.

Compliance will be measured by observation.

#### 2.5.1.4 Mops and brooms are cleaned and dried before being stored.

Compliance will be verified during personnel interviews and by observation.

# 2.5.1.5 The service manager ensures that cleaning and laundry personnel are appropriately trained regarding waste management, infection control procedures, confidentiality issues and any other relevant matters.

Evidence of such training will be required.

#### 2.6 Food Service management

2.6.1 The food service is managed to ensure the provision of a safe and effective service.

#### Standard Intent:

Service managers are primarily responsible for ensuring that the mission of the organisation is met through the leadership at departmental level. Good departmental or service performances require clear leadership from a suitably qualified individual.

Policies and procedures ensure that staff members receive guidance in the functions that need to be carried out.

A system needs to be in place to ensure that food service policies and procedures are known and implemented.

Policies and procedures relating to the food service include:

- a) Wearing of protective clothing
- b) Wearing of jewellery on wrists and hands and the wearing of nail polish while preparing food
- c) Hand-washing procedures
- d) Food preparation procedures
- e) Cleaning of areas and equipment
- f) Separate storage for raw and cooked food items
- g) Disposal of kitchen waste

Criteria:

- 2.6.1.1 A person who is suitably qualified or experienced manages/supervises the service.
- 2.6.1.2 The responsibilities of the manager/supervisor are documented.
- 2.6.1.3 The manager/supervisor ensures that policies and procedures that address at least items (a) to (g) in the intent statement are implemented.
- 2.6.2 The food service department is designed to allow for the effective storage, preparation and serving of food.

#### Standard Intent:

The food service manager needs to work closely with organisation managers to ensure that facilities and equipment are adequate. Organisation management is kept informed of facilities which are inadequate, of additional equipment requirements, and the current state of facilities and equipment.

#### Criteria:

#### 2.6.2.1 Where a kitchen is provided within the facility, it is designed to allow for the effective

- 2.6.2.2 There is a section of the kitchen dedicated to the preparation of infant feeds, where necessary.
- 2.6.2.3 There are separate hand-washing facilities in the food preparation area, with soap and paper towels.
- 2.6.2.4 There is a mechanism to prevent unauthorised individuals from entering food preparation areas.
- 2.6.2.5 The temperature, ventilation and humidity levels are adequate to provide for satisfactory working conditions and cleanliness.
- 2.6.2.6 Windows in the preparation area have fly screens or another effective method of fly control is available.
- 2.6.2.7 There is a fire extinguisher and a fire blanket in the kitchen.

### 2.6.3 Basic hygiene measures are implemented.

#### **Standard intent**

Country-specific regulations/requirements regarding the general hygiene of food premises will apply. Such certification is usually done by the local authorities, for example, Certificate of Acceptability for Food Premises.

Where food provision is outsourced, the supplier must provide evidence of certification by the local authority in terms of relevant legislation.

#### Criteria:

- 2.6.3.1 The food service area meets with health and safety regulations.
- 2.6.3.2 Protective wear is provided for visitors entering the food preparation area.
- 2.6.3.3 Equipment, floors, walls and ceilings are kept clean.
- 2.6.3.4 Staff members are constantly reminded of the importance of effective hand washing, e.g. posters.
- 2.6.3.5 Preparation surfaces are cleaned and dried between being used for different activities.
- 2.6.3.6 There are adequate clean and conveniently placed change rooms, toilets and ablution facilities for food handlers.
- 2.6.3.7 Food handlers have access to lockers for their outer clothing.
- 2.6.3.8 An adequate number of suitable refuse containers are provided in or near each change room, hand-washing facility and toilet area.

### 2.6.4 Menus are planned to meet patient needs.

#### Standard Intent:

Menus are planned by a dietician or other individuals with relevant food management qualifications and/or experience. Where required, cultural preferences are taken into account.

- 2.6.4.1 A suitably qualified and/or experienced person advises on meal planning.
- 2.6.4.2 There is a planned weekly menu suitable for different seasons.
- 2.6.4.3 Wherever possible, patient food preferences are respected, and substitutions made available.
- 2.6.5 Food products and meals are hygienically stored, prepared and served.

#### **Standard Intent:**

Food is stored and prepared in accordance with documented protocols. High-risk food which may be contaminated, and which may contaminate other food is kept separately. This includes such food as meat, poultry and fish.

#### Criteria:

- 2.6.5.1 Food which is of a potentially high risk, unprepared and prepared food, are kept separately.
- 2.6.5.2 Separate cutting boards are kept for raw and cooked food.
- 2.6.5.3 Food is kept for a minimal amount of time after cooking and before serving.
- 2.6.5.4 Food waste is put in covered containers and removed without delay from places where food is prepared.
- 2.6.5.5 There is a mechanism for ensuring that food handlers report if they or their family suffer from diarrhoea or vomiting, throat infections, skin rashes, boils or other skin lesions, or eye or ear infections.
- 2.6.5.6 Food handlers wear protective clothing.
- 2.6.6 Food is stored under conditions, which ensure security, hygiene and freshness.

#### Standard Intent:

Food is stored under conditions which ensure security, hygiene and freshness. This requires the documentation of standards and monitoring the conditions under which food is stored.

#### Criteria:

- 2.6.6.1 Food is stored at acceptable temperatures.
  2.6.6.2 Food is stored separately from non-food items.
  2.6.6.3 Different types of food are kept separately.
  2.6.6.4 Food is stored off the ground on racks or shelving of an impenetrable material.
- 2.6.6.5 Walk-in refrigerators and freezers are capable of being opened from inside through a safety release mechanism.
- 2.6.6.6 Stock is rotated.

#### 2.7 Contracted Services

2.7.1 Where contracts/service agreement exist for clinical, managerial or hotel services

### (cleaning, laundry, food, waste management) they provide for adequate number of suitably trained contract personnel to provide a safe and effective service.

#### Standard Intent:

Where support services have been contracted to outside agencies such as cleaning, building maintenance, gardening, ICT management, etc., the service leaders must ensure supervision of these services to ensures that they comply with the terms of the contract, meet patient needs and are monitored as part of the quality management and improvement activities.

The service manager identifies the number of personnel required for contracted services and defines the desired education, knowledge, skills and any other requirements needed.

Orientation and induction programmes ensure the competence of personnel before they begin to carry out their functions. Contract personnel must act in accordance with position descriptions and are evaluated in accordance with their assigned responsibilities.

Where appropriate, personnel in the employ of the contractor are made aware of issues relating to infection control, waste management, confidential waste and health and safety requirements.

#### Criteria:

### 2.7.1.1 Copies of contracts for outside service providers are available to those who ensure they are implemented.

It is very important that those who are required to monitor compliance with a contract have access to the deliverable elements of the document. The criterion does not require that leaders share the financial details of the contract.

Documented evidence must be provided.

### 2.7.1.2 Services provided under contracts and other arrangements are formally monitored and compliance with the contract is documented.

Documented evidence is required.

#### 2.7.1.3 Contracted personnel are managed as determined in the written service agreement.

Documented evidence is required.

### 2.7.1.4 The service manager ensures that contracted personnel are oriented to the and to relevant policies and procedures.

Documented evidence of orientation to both the facility, the position and relevant policies and procedures is required.

#### 2.7.1.5 The service manager ensures that contracted personnel participate in relevant inservice training programmes.

In-service training must include for example, infection control, health and safety, fire and evacuation etc.

A record must be kept of such training and must include all contracted personnel.

### **3 CLINICAL SERVICES AND PATIENT CARE**

#### OVERVIEW OF CLINICAL SERVICES AND PATIENT CARE

Hospice and palliative care is provided by an interdisciplinary team (IDT) which consists of or has access to the services of the following members:

- Medical doctor
- Professional nurse/s

Hospice and palliative care provides holistic care to the patient and family and as such psychosocial and spiritual care carries equal weight with physical care. These activities are based on goals that will allow the service to be conducted in line with the service's mission and also answer the unique needs of the patient and family. Facilities and equipment ensure effective service and privacy during assessment and consultation. Holistic care is dependent on an interdisciplinary approach, which can be strengthened by access to a broader multidisciplinary team which could include dieticians, physiotherapists, occupational therapists, traditional healers, complementary therapists and, in the case of children, educators.

Hospice and palliative care responds to the unique needs of each patient and family. This requires high levels of planning and coordination.

- Certain activities which form the basis of all patient care include:
- Assessment, planning and delivery of care
- Monitoring and evaluating the outcomes of the care provided
- Adapting and implementing care plans according to the patients' and families' changing needs

### Standards:

### 3.1 Patient management

3.1.1 In consultation with the patient, the hospice and palliative care service provides care that is consistent with best available evidence and in accordance with patient needs and values.

#### Standard Intent:

Guidelines are found in the literature under many names including practice parameters, practice guidelines, patient care protocols, standards of practice, care pathways, etc. National guidelines for selected conditions are further provided by the Ministry of Health and Wellness. Regardless of the source, the scientific basis of guidelines should be reviewed and approved by the clinical leaders and clinical practitioners before implementation. This will ensure that they meet the criteria established by the leaders and are adapted to the community, patient needs and hospice and palliative care service resources.

Clinical practice guidelines, including those for children, as well as guidelines supporting gendersensitive care relevant to the patients and the services of the organisation, are used to guide the level of care provided.

Once adopted, guidelines should be reviewed on a regular basis to ensure their continued relevance. Consistency in the approach to the management of care among those who are involved in the care of an individual patient is an important aspect of continuity of care.

#### Criteria:

## 3.1.1.1 The interdisciplinary team uses current guidelines relevant the hospice and palliative care service, to assist in the management of patients.

Guidelines must be available at the point of care and should include high risk, high volume, high cost and rarely seen conditions. The practitioner must consider national guidelines where these are available.

The emphasis in this criterion is on the availability and use of clinical guidelines and evidence of both must be provided for compliance.

### 3.1.1.2 The interdisciplinary team set criteria to select hospice and palliative care guidelines.

Every effort should be made to identify and adopt guidelines that have been rigorously and scientifically developed, internationally accepted and adapted for local use.

#### 3.1.1.3 The interdisciplinary team can describe how they ensure consistency in the

#### management of patients.

Compliance will be measured during personnel interviews and the patient record audit.

### 3.1.1.4 The interdisciplinary team can demonstrate how they communicate about clinical issues and support systems in the hospice and palliative care service.

Compliance will be measured during personnel interviews and the patient record audit.

- 3.1.1.5 Professional support and supervision is provided to community caregivers, other non-professional personnel and volunteers involved in patient care.
- 3.1.1.6 The individuals responsible for patient care are identified by name badges.
- 3.1.2 There is an interdisciplinary approach to planning the care of patients.

#### **Standard Intent:**

Documented care plans guide the provision of quality holistic care by the inter-/multidisciplinary team. Planning forms the basis of coordinated patient and family care and promotes communication between members of the care team and the patient/family. Care plans are regularly reassessed to evaluate the response to care provided in line with the patient's changing condition.

#### Criteria:

- 3.1.2.1 There is an established process for admitting patients to the hospice and palliative care service.
- 3.1.2.2 Based on information obtained during the admission process, a holistic plan of care is developed and recorded for each patient.
- 3.1.2.3 The care plan is compiled, based on the problems, needs and strengths identified in the initial assessment.
- 3.1.2.4 Where appropriate, the plan of care indicates a time frame for the expected achievement of result.
- 3.1.2.5 The care plan indicates the expected outcomes of planned interventions.
- 3.1.2.6 Each discipline or service reviews and revises as necessary those aspects of the care plan for which they are responsible.
- 3.1.2.7 Policies guide the frequency with which plans of care must be reviewed.
- 3.1.2.8 Patients are referred for further investigation and/or treatment as appropriate.
- 3.1.2.9 Patients identified as being at risk from tuberculosis are referred for diagnosis and treatment.
- 3.1.3 Hospice and palliative care is provided to patients and their families through all stages of the illness.

#### Standard Intent:

The organisation ensures that patients receive care and treatment that follows nursing protocols, meets basic needs and contributes to optimal health outcomes.

Patient and family care is provided in line with documented care plans. Patients and families have the opportunity to participate in decision-making and are regarded as an integral part of the care team. In order to ensure that appropriately qualified individuals provide patient care and record their activities related to that care, signatures and designations are recorded.

Methods of verifying signatures and designations may include:

- Names and designations printed below signatures
- Stamps indicating names and designations
- Specimen signature lists in the patient health records or in the relevant department

#### Criteria:

- 3.1.3.1 The organisation develops processes to ensure delivery of basic care that optimises health outcomes.
- 3.1.3.2 The care provided by the organisation contributes positively to national priorities, including HIV and TB management.
- 3.1.3.3 There is documented evidence that the care plan is implemented by relevant members of the interdisciplinary team.
- 3.1.3.4 There is a mechanism to facilitate access to welfare services.
- 3.1.3.5 There is a documented process to facilitate access to nutritional support.
- 3.1.3.6 There is a documented process to facilitate access to resources through all stages of the illness.
- 3.1.4 All patients requiring hospice and palliative care have their holistic needs identified through an established assessment process.

#### Standard Intent:

Organisational policy defines the scope and content of assessments performed by each discipline within their scope of practice and applicable legislation. The purpose of the initial assessment is to identify the patient's medical, nursing, emotional, social, spiritual and developmental needs. From the initial assessment, in conjunction with the patient and family, needs are prioritised, and care decisions are made.

Where applicable, a copy of a medical assessment conducted outside the organisation is placed in the patient's health record. Any significant changes in the patient's condition since the assessment are recorded. The initial assessment is modified for patients presenting with physical, psychosocial or spiritual distress.

#### Criteria:

## 3.1.4.1 Each patient has an initial assessment that complies with current policies, procedures and guidelines.

The initial assessment should include the following as a minimum:

- Health history
- Insight into prognosis
- A physical examination
- Assessment of pain and distressing symptoms
- Screening for tuberculosis in line with national guidelines
- · Assessment of activities of daily living
- The identification of psychosocial and spiritual needs
- Psychological assessment
- Cultural and spiritual assessment
- Risk assessment for patient falls

• Identification of patients with specific needs, such as those requiring further nutritional assessments, at-risk patients and families requiring psychosocial care

### 3.1.4.2 A paediatric assessment form is used for the assessment of children.

· Educational history for children of school-going age

• Assessment of pain and distressing symptoms

Assessment of activities of daily living

Screening for tuberculosis in line with national guidelines

• The identification of psychosocial and spiritual needs

Health history

• Insight into prognosis A physical examination

 Psychological assessment Cultural and spiritual assessment

 Developmental assessment Review of the under-5 card • Identification of the legal guardian

• Identifies family vulnerabilities that could include the facilitation of future planning for vulnerable children

· Identification of patients with specific needs, such as those requiring further nutritional

• Identification of patients with specific needs, such as those requiring further nutritional assessments, at-risk patients and families requiring psychosocial care Risk assessment for patient falls

3.1.4.3 The scope and content of the initial assessment is defined.

assessments, at-risk patients and families requiring psychosocial care

The initial assessment should include the following as a minimum:

- 3.1.4.4 Only those individuals permitted by applicable legislation perform the assessments.
- The scope and content of the assessment by each discipline within the 3.1.4.5 interdisciplinary team is defined.
- 3.1.4.6 The findings of assessments performed outside the organisation are indicated in a patient referral letter.
- 3.1.4.7 Initial assessments are completed within a time frame established by the organisation.
- 3.1.4.8 All patients are reassessed at defined intervals, to determine their response to treatment and to plan for continued care.
- 3.1.4.9 All assessment findings, including initial and reassessments are documented in the patient health record.
- 3.1.4.10 Patients assessed as being at nutritional risk receive nutrition therapy from a suitably qualified person.
- 3.1.5 The organisation implements processes to support the patient in managing pain and other distressing symptoms.

### **Standard Intent:**

Unrelieved pain has adverse physical and psychological effects. The patient's right to the assessment and effective management of pain and relief of distressing symptoms is respected and supported. To ensure this right is implemented, the organisation develops processes to:

- Identify patients in pain and with distressing symptoms during initial assessment and subsequent re-assessment
- Educate healthcare providers in the assessment and management of pain and symptoms
- Communicate with and provide education for patients and families about pain and symptom management in the context of their personal, cultural and religious beliefs

- 3.1.5.2 Patients in pain receive care according to pain and symptom management guidelines.
- 3.1.5.3 There is evidence that the effectiveness of pain and symptom management is monitored.
- 3.1.5.4 The organisation has processes to educate health professionals in assessing and managing pain and symptoms.
- 3.1.5.5 There is evidence that patients and families are educated about pain and symptom management.

### 3.1.6 The organisation develops processes to manage end-of-life care.

#### **Standard Intent:**

Dying patients have unique needs for respectful, compassionate care. Concern for the patient's comfort and dignity guides all aspects of care during the final stages of life. To accomplish this, all staff members are made aware of the unique needs of patients and families at the end of life. These needs include treatment of symptoms, pain management, response to the social, emotional, spiritual, religious, cultural and gender-related concerns of the patient and family and their continued involvement in care decisions. The family is prepared for the patient's impending death with sensitivity.

#### Criteria:

- 3.1.6.1 Policies and procedures that guide the care of dying patients are implemented.
- 3.1.6.2 The unique needs of dying patients are recognised and respected.
- 3.1.6.3 The unique needs of dying children and adolescents are recognised and respected.
- 3.1.6.4 There is evidence that the care plan is revised to meet the needs of the patient and family during this phase of the illness.
- 3.1.6.5 Patient health records reflect that staff members provide respectful and compassionate care to dying patients and their families.
- 3.1.6.6 Post-death care is delivered in a respectful manner, taking cultural and religious practices into account.
- 3.1.6.7 Referral and access to bereavement support is made when indicated.
- 3.1.6.8 The organisation has a system for providing support for staff members and volunteers.

### 3.2 Communication with patients

3.2.1 Patients are informed of the range of services and the processes to access the hospice and palliative care service.

### Standard Intent:

Patients and services working in collaboration with the hospice and palliative care service need to know how and when to contact the service to access care. It is reasonable to expect most hospice and palliative care services to offer care during normal office hours.

# 3.2.1.1 When patients register with the hospice and palliative care service they are informed of the range of services offered by the service, opening hours, contact details and after hours' care arrangements.

It is advisable to provide this information in printed form as patients may not remember what has been told to them.

As a minimum, patients must acknowledge receipt of the information by signing (on the registration form) that they have been informed.

### 3.2.1.2 Where the service has an 'on hold' telephone message, it includes a message for an alternative number to be used in an emergency.

This criterion is only applicable to services where the telephone system diverts to an 'on hold' message when the line is busy during business hours. The purpose of this requirement is to assist patients who are dealing with an emergency during peak business hours when it might be difficult to get through to the service because of the high volume of calls.

If the service does not have an 'on hold' system this criterion will be not applicable.

# 3.2.1.3 A message on the service's telephone answering machine, call diversion system or paging system provide information to patients on how to obtain care outside the service's normal opening hours.

The intention of this criterion is to ensure that patients are assisted with the relevant information outside of business hours.

### 3.2.1.4 The service renders services based on the needs of the population, during the hours that they publish.

Documented evidence can be provided by time cards, duty rosters etc. and can also be verified during patient and personnel interviews.

- 3.2.1.5 Patients (and their families or carers as appropriate) are provided with information on the estimated cost of services to be rendered.
- 3.2.1.6 In the case of admission to an in-patient unit, patients (and their families or carers as appropriate) are provided with information on any limitation placed on the duration of stay.
- 3.2.2 There is a process for appropriate referral of patients for specialised consultation/investigations at other healthcare facilities.

### Standard Intent:

In some cases, practitioners refer patients for a secondary consultation to confirm an opinion, to request more extensive diagnostic evaluations than may be available to the practitioner or to have patients receive specialised treatment that the referring service may be unable to provide. The hospice and palliative care service must clearly describe the referral process. Hospice and palliative care services may wish to consider the use of a standard referral form which includes a tear off slip for the receiving doctor's response following the consultation.

The referral must contain the following as a minimum:

- a) At least three approved patient identifiers
- b) Relevant history, examination findings and current management
- c) Known allergies, adverse drug reactions and current medication
- d) The name of the referring doctor
- e) The name of the doctor/service referred to
- f) Stated purpose of the referral
- g) Request for feedback following the consultation with the specialist

### 3.2.2.1 There is a documented process to refer patients.

Compliance will be verified during the patient record audit.

### 3.2.2.2 The lines of communication between the hospice and palliative care service, referral hospital and community services are clearly defined.

Hospice and palliative care service personnel must clearly describe the referral process, especially where patients are sent to another healthcare organisation for specialist consultation or special investigations and then return to the referring palliative care service for continuation of treatment. Compliance will be verified during the patient record audit.

### 3.2.2.3 The doctor informs the patient if he/she has any financial interest in the referral service.

Surveyors must pay particular attention to services that are offered in the same facility by different practitioners for example, where a general practitioner refers a patient to a radiology or laboratory palliative care service in the same facility.

### 3.2.2.4 Referrals are to specific individuals and/or agencies in the patient's home community wherever possible.

Compliance will be verified during the patient record audit.

### 3.2.2.5 Patients and as appropriate their families are given follow-up instructions which are provided in an understandable form and manner.

Compliance will be verified during the patient record audit.

#### 3.2.2.6 A copy of the referral note is available in the patient record.

Compliance will be verified during the patient record audit.

#### 3.2.2.7 The referral is made on appropriate stationery or electronically.

Compliance will be verified during the patient record audit.

#### 3.2.2.8 The referral contains as a minimum a) – g) in the standard intent above.

Compliance will be verified during the patient record audit.

### 3.2.2.9 The hospice and palliative care service keeps a record of replies received following the referral of patients.

Documented evidence must be provided of the system that is used in the palliative care service to record and act upon replies received from referral practitioners.

#### 3.2.2.10 There are written guidelines for the referral of emergency patients.

Documented evidence is required.

### **3.2.2.11** Follow-up care based on the findings of investigations/consultations performed outside the hospice and palliative care service are noted in the patient record.

Compliance will be verified during the patient record audit.

#### 3.2.3 At registration, sufficient details are taken from the patient to ensure that the

patient and/or family members can be contacted by the hospice and palliative care service when necessary and that the healthcare practitioner seeing the patient for the first time has sufficient background information to provide adequate care to the patient.

### **Standard Intent:**

Accurate contact details are essential in order to follow up results, recall patients for chronic disease monitoring and contact patients or nominated next of kin in emergency situations that may arise. Background medical information is essential to the provision of adequate care but can be adequately obtained by administrative personnel in the first instance with further detail elicited during the consultation if necessary.

The following details should be obtained at registration of a new patient as a minimum:

- a) Current address
- b) Telephone numbers
- c) Next of kin
- d) Who to contact in an emergency
- e) Previous medical history
- f) Previous surgical history
- g) Current medication (prescribed and over the counter medications)
- h) Allergies
- i) Immunisations
- j) Health risk factors, for example, smoking, alcohol consumption, physical activity
- k) Patient/guardian signature

#### Criteria:

### 3.2.3.1 New patients to the service are asked to complete a form detailing at least a) – k) in the standard intent above.

Compliance will be verified during the patient record audit.

#### 3.2.3.2 Patients are asked to update the organisation if their contact details change.

Compliance will be verified during the patient record audit.

#### 3.2.3.3 Health funder details are accurately recorded for each new patient when required.

Compliance will be verified during the patient record audit.

## 3.2.4 Patients can obtain advice or information related to their clinical care by telephone and electronic means.

#### **Standard Intent:**

Where patients, who are known to a medical practitioner, request information or follow up regarding a condition for which they have previously consulted, and the practitioner determines that it is clinically safe not to review the patient in a face to face consultation, the patient has access to the relevant information by telephone or electronic communication. The hospice and palliative care service has a documented policy regarding such communication that clearly outlines:

- a) Limitations of use
- b) Positive identification of the patient
- c) Timeframe for a response from a clinician
- d) That the patient was made aware of any costs involved
- e) Documentation of the communication in the patient record

### Criteria:

### 3.2.4.1 The service implements a policy on telephonic and electronic communication with

### patients that details at least a) - e) in the standard intent above.

Compliance will be verified during personnel and patient interviews, patient record audits and by observation.

### 3.2.4.2 There is evidence of service/patient telephone or electronic advice and information in the patient health records.

Compliance will be verified during the patient record audit.

### 3.2.4.3 The service can demonstrate how it receives and returns telephone and electronic messages from patients.

Personnel must be able to describe the process detailing which telephone calls are immediately put through to the medical practitioner and what process is followed to ensure that calls are returned timeously when they are not.

Electronic messages can take the form of e-mails, text messages or messages received on messaging applications.

3.2.5 The hospice and palliative care service has a system for the follow up and review of tests and results.

#### **Standard Intent:**

The information gained from tests and results can have a considerable impact on the choices patients and medical practitioners make in patient care. There may be considerable risk in not following up clinically significant tests and results. There is a system to track all results and where potentially serious pathology is suspected, doctors have a system to track that the investigation is completed and the result is received and acted upon.

To minimise clinical risk, results of investigations are reviewed by the medical practitioner, signed or initialled (or the electronic equivalent), acted on in a timely manner and incorporated into the patient health record.

Many hospice and palliative care services provide the results of investigations to their patients by telephone. The person responsible for giving the results should ensure that the recipient of the information is correctly identified using three patient identifiers so that patient confidentiality is not compromised. Acceptable patient identifiers are name, date of birth, address, identification number, palliative care service patient number.

#### Criteria:

# 3.2.5.1 A documented policy on the review and management of pathology results, imaging reports, investigation reports and other clinical correspondence received by the palliative care service is implemented.

The service needs a documented system for the follow up of all tests and results with a strong focus on risk management. This policy must include that there is documented evidence that every report and result was seen, reviewed and acted upon by a medical practitioner.

# 3.2.5.2 Patient health records contain evidence that all pathology results, imaging reports, investigation reports and clinical correspondence received by the service have been handled in accordance with policy.

Compliance will be verified during the patient record and service documentation audit.

3.2.5.3 There is evidence of review of the results of procedures and diagnostic tests performed by a medical practitioner.

Compliance will be verified during the patient record audit.

### 3.2.5.4 There is a system to advise patients of the process to follow up on results.

Patients must be encouraged to take responsibility for their own health. The hospice and palliative care service must therefore provide the patient with information about what to expect following any investigation. For example, how long it takes to get the results, the method by which the patient will be informed of the results etc.

Compliance will be verified during patient interviews and patient record audits.

### 3.2.5.5 A documented system to identify, follow up and recall patients with clinically significant results is implemented.

The system must be implemented in such a way that a patient who is not immediately contactable remains flagged for follow up.

Documented evidence is required.

### 3.2.5.6 When patients are informed of results over the telephone, the patient is identified with 3 approved identifiers before the information is given.

Compliance will be verified during the patient record audit.

3.2.5.7 When results are given over the telephone, the result is given to the patient themselves or the patient's consent is obtained before giving the result to a nominated third party.

Compliance will be verified during the patient record audit.

### 3.3 Patient education

3.3.1 Patient and family education promotes the concept of taking responsibility for one's own health care.

#### Standard Intent:

Every patient is offered the information and education he or she requires. All clinical personnel within the service work collaboratively to provide education in a coordinated manner. Personnel collaboration helps to ensure that the information patients and families receive is comprehensive, consistent and as effective as possible.

Education is focused on the specific knowledge and skills the patient and his or her family will need to make care decisions, participate in care and continue care at home. Variables such as educational literacy, beliefs and limitations are considered. Each hospice and palliative care service decides on the placement and format of educational assessment, planning and delivery of information. Education regarding high risk health issues relevant to the local population is routinely provided by the service. Standardised materials and processes are used where possible.

Information provided by the service may include when to resume daily activities, and information on coping with disease or disability.

#### Criteria:

### 3.3.1.1 The service offers relevant health education to its patients in a planned and consistent manner which enables patients to meet their on-going health needs.

This will be assessed based on the evaluation of the patient education activities in relation to the services offered as well as the individual patient education during consultation for example, lifestyle advice, when to seek medical attention - how urgently and at what level of care, etc. Compliance will be verified during patient interviews and patient record audits.

- 3.3.1.2 Posters and pamphlets regarding conditions relevant to the hospice and palliative care service population (for example, HIV, TB, Cancer) are visibly displayed and accessible in the waiting room and routinely provided to patients when appropriate.
- 3.3.1.3 There is evidence that family members are taught and supported to provide care for the patient in keeping with the care plan.

Compliance will be verified during patient interviews, patient record audits and by observation.

#### 3.3.1.4 Patient and family education provided is noted in the patient record.

Compliance will be verified during the patient record audits.

3.3.1.5 The service identifies community resources which support continuing health promotion and disease prevention education and has contact details of these resources available.

The service must identify those resources that are specific to its patient population. Documented evidence is required.

### 3.3.1.6 There is documented evidence that patients are referred to these resources, where appropriate.

Compliance will be verified during the patient record audits.

3.3.1.7 Information is provided in a manner and in a language that is understood by those making the care decisions.

Compliance will be verified during patient interviews.

### 3.4 Clinical record keeping

3.4.1 Patient records contain the required information for the relevant condition.

#### Standard Intent:

Medical records are intended to support patient care and should authentically represent every consultation (including by telephone and electronic mail). The clinical record of each patient, whether handwritten or electronic, needs to contain sufficient information to support the diagnosis and justify the treatment provided. It also needs to document the care given and the course and results of treatment. A standardised format and content of a patient's record will help promote the integration and continuity of care among the various providers of care to the patient. The hospice and palliative care service determines the specific data and information recorded in the clinical record, but it contains as a minimum for each consultation:

- a) The date of the consultation
- b) Who conducted the consultation
- c) Reason for the consultation
- d) Relevant clinical findings including documenting the presence or absence of jaundice, anaemia, cyanosis, clubbing, oedema and lymphadenopathy (JACCOL)
- e) Vital signs, including weight and height.
- f) Diagnosis
- g) Recommended management plan and, where appropriate, expected process of review
- h) Any medication prescribed for the patient (including name, strength, directions for use/dose frequency, number of repeats and date medication started/ceased/changed)
- i) Complementary medication used by the patient
- j) All requested investigations and procedures
- k) Any relevant preventive care undertaken
- I) Any referral to other healthcare providers or health services

- m) Any special advice or other instructions
- n) Follow up instructions given to the patient
- o) Health education
- p) For emergency cases, relevant times are recorded, i.e. time patient seen, time drugs administered, etc.

Abbreviations and symbols are standardised. Such standardisation is consistent with recognised local and national standards.

Patient contact details are kept up to date.

All relevant costs are discussed with patients prior to these costs being incurred and the discussion is documented in the patient record.

#### Criteria:

### 3.4.1.1 Notes for each consultation contain as a minimum points a) – p) above.

Compliance will be verified during the patient record audit.

#### 3.4.1.2 Handwritten notes are legible.

Compliance will be verified during the patient record audit.

### 3.4.1.3 Notes are recorded contemporaneously.

Compliance will be verified during the patient record audit.

### 3.4.1.4 All abbreviations are standardised in accordance with recognised local and national standards.

Compliance will be verified during the patient record audit.

3.4.1.5 The patients' records, including contact details, are up to date to ensure the transfer of the latest information between care providers.

Compliance will be verified during the patient record audit.

#### 3.4.1.6 Adverse drug reactions are noted in the patient's record.

Compliance will be verified during the patient record audit.

3.4.1.7 The patient is fully informed regarding the estimated costs of any treatment, investigation, procedure or referral and the discussion is documented.

Compliance will be verified during the patient record audit.

The palliative care service ensures that all notice of death forms are completed correctly.

#### Standard Intent:

Information from notice of death forms is used to monitor mortality trends in the population which in turn is used to inform planning, monitoring and evaluation of health service provision. It is therefore of national importance that good quality information is provided to ensure that health needs are accurately identified and met.

Notice of death forms should contain as a minimum:

- a) Immediate cause of death
- b) All identifiable intermediate causes of death

<sup>3.4.2</sup> 

- c) Underlying cause of death (essential)
- d) Any co-morbidities suffered by the patient which are contributing causes of death (not the underlying cause or intermediate causes of death in Part 1)
- e) No abbreviations are used
- f) The handwriting is legible
- g) Any relevant occupational history is recorded
- h) Specifics of cancers and infections must be provided

### Criteria:

#### 3.4.2.1 Notice of death forms are completed correctly containing at least details a) -h) above.

This whole standard will be scored not applicable where no notice of death form has been completed during the preceding survey period.

Compliance will be verified during the patient record audit.

#### 3.4.2.2 Where the death was not exclusively due to natural causes, the death is referred to the police or forensic pathologist and the referral is recorded in the patient record along with the name, position title and contact details of the person to whom the referral has been made.

This whole standard will be scored not applicable where no notice of death form has been completed during the preceding survey period.

Compliance will be verified during the patient record audit.

#### 3.4.2.3 Copies of notice of death forms completed by the service are filed in the patient records.

This whole standard will be scored not applicable where no notice of death form has been completed during the preceding survey period. Compliance will be verified during the patient record audit.

#### 3.4.2.4 Dated entries in the patient record reflect the date the notice of death form was collected and the name of the person to whom the notification was given.

This whole standard will be scored not applicable where no notice of death form has been completed during the preceding survey period.

Compliance will be verified during the patient record audit.

#### 3.4.2.5 The death notification form is made available for collection within legislated time frames.

This whole standard will be scored not applicable where no notice of death form has been completed during the preceding survey period. Compliance will be verified during the patient record audit.

#### 3.5 Continuity of care

3.5.1 The hospice and palliative care service has an effective clinical handover system that ensures safe and continuing healthcare delivery for patients.

### Standard Intent:

Clinical handover needs to occur whenever there is an interface of care by different providers. Examples of clinical handover include:

- A medical practitioner covering for a fellow medical practitioner who is on leave or is unexpectedly absent
- A medical practitioner covering for a part time colleague

- A medical practitioner handing over care to another health professional such as a palliative care service nurse physiotherapist, podiatrist or psychologist
- A medical practitioner referring a patient to a service outside the palliative care service
- A shared care arrangement (for example, team care of a patient with mental health problems)

After hours' care providers are at a disadvantage with regards to specific groups of patients requiring special attention such as chronically ill patients. To ensure optimum care provision and a consistent approach from all clinicians, it is to the advantage of both patients and clinicians if relevant information is made available to the clinicians providing after hours' care.

The sharing of information relating to infection control (for example, HIV, TB, Hep B, MRSA) will enable those providing care outside the palliative care service (after hours, secondary care, etc.) to offer the patient and persons coming into contact with the affected patient appropriate care and enable them to take precautionary measures.

To ensure the transfer of this information, the patient is provided with a letter to present to clinicians providing care outside the palliative care service.

#### Criteria:

### 3.5.1.1 There is implementation of a documented policy on clinical handover to ensure that standard processes are followed.

The complexity and comprehensiveness of the content of handover information required to achieve continuity of care will differ for different types of handover situations. The details to be included in each situation should be agreed upon by all stakeholders and formalised in the service to ensure a standardised approach at all times. The transfer of information must be documented, preferably using standardised forms (electronic or paper-based) for the various handovers. Compliance will be verified during patient record audit.

### 3.5.1.2 Patients share in decision making regarding the handing over of clinical information.

Patients also have a responsibility for their own health and must share in the decision of who will continue with their care.

Compliance will be verified by documentation that the patient has been informed and shared in the decision of handing over.

#### 3.5.1.3 Handover of clinical information is recorded in the patients' health records.

Compliance will be verified during the patient record audit.

3.5.1.4 Information relating to those patients requiring special attention, such as the chronically ill or those with infections which require specific infection control measures, is provided in a patient held letter, a copy of which is kept in the patient record.

Compliance will be verified during the patient record audit.

3.5.2 The hospice and palliative care service ensures safe and reasonable arrangements for medical care for patients outside of normal opening hours.

### Standard Intent:

Medical care outside normal opening hours needs to be provided by recognised medical practitioners. The method of providing such care can be achieved in one of the following ways:

• The service's medical practitioners provide their own care for patients outside normal opening hours, either individually or through a roster

- Formal arrangements for cooperative care outside the normal opening hours exist through a cooperative of one or more local hospice and palliative care services
- Formal arrangements exist with a local hospital or after hours' facility

When the service cannot safely or reasonably deliver care outside normal opening hours themselves, they clearly document the alternative system of care that is available for their patients.

The hospice and palliative care service is responsible for ensuring the alternative care provider offers care to an acceptable standard.

### 3.5.2.1 There is evidence of one (or a combination) of arrangements for patients to access care outside of normal opening hours.

Regardless of the arrangements used to provide care outside normal opening hours, documented evidence of the system the palliative care service uses to provide such care needs to be available.

### 3.5.2.2 The credentials of alternative care providers are verified.

This criterion will be not applicable where patients are referred to public and private hospitals after hours.

Evidence must be provided that the credentials of locums and practitioners in partner hospice and palliative care services have been verified.

## 3.5.2.3 Patient health records contain reports or notes of consultations occurring outside normal opening hours by or on behalf of the palliative care service.

This criterion will not be applicable to consultations that occur at public health facilities. Evidence must be provided on how and when the hospice and palliative care service receives notes of consultations occurring through all other after-hours arrangements. Compliance will be verified during the patient record audit.

3.5.3 Home visits are available to regular patients of the palliative care service by a registered community health worker, where clinically appropriate.

### **Standard Intent:**

Home and other visits such as visits to residential aged care facilities, residential care facilities or hospitals need to be available to regular patients of the palliative care service where such visits are safe, reasonable and clinically necessary. Visits may be performed by, or on behalf of, the palliative care service.

The hospice and palliative care service policy on home visits must include:

- a) What factors would necessitate a home visit
- b) The geographical area in which home visits will be made
- c) Identification of the practitioner who will do the home visit
- d) An alternative to home visits if the practitioner cannot reasonably and safely make the visit

### Criteria:

# 3.5.3.1 The hospice and palliative care service has a documented policy on home and other visits available to regular patients of the service which includes as least a) – d) in the standard intent above.

The policy must include at least a) – d) in the standard intent above. Please not that there is an option for alternatives to home visits if the service cannot reasonably and safely make such visits. Where the hospice and palliative care service elects not to undertake home visits, those alternatives must be fully discussed in the policy.

### 3.5.3.2 These visits are available within and outside normal opening hours of the hospice

### and palliative care service.

This will be scored not applicable where home visits are not conducted by the service. Compliance will be verified during the patient record audit in instances where the service does conduct home visits.

### 3.5.3.3 Where home visits are not deemed safe or reasonable, patients are provided with information on alternative systems of care.

Patients must be informed that it is not the policy of the service to conduct home visits and must be provided with information on alternative systems of care during those time. This can be achieved by providing the patient with an information leaflet on registration. Documented evidence must be provided.

### 3.6 Emergency care

3.6.1 The hospice and palliative care service provides emergency treatment and care.

### Standard Intent:

The arrival of emergency patients may be unpredictable, particularly in hospice and palliative care services that do not form part of a 24-hour service. The service must be prepared to provide primary emergency treatment as required to stabilise a patient while waiting for further assistance from emergency medical services.

### Criteria:

3.6.1.1 Written guidelines are available and followed relating to the provision of primary emergency services.

As a minimum, the Basic Life Support algorithm must be available and followed. Documented evidence of training must be provided.

# 3.6.1.2 Guidelines for emergency triage, assessment and treatment are available and followed for all types of patients seen at the palliative care service (for example adult, paediatric and neonatal).

The service's policy on triage must make distinction between triage undertaken by members of the interdisciplinary team and triage undertaken by personnel with non-clinical roles. Appropriate training must be provided to assist both administrative personnel and members of the interdisciplinary team to identify patients in need or urgent care.

Documented evidence of training must be provided.

### 3.6.1.3 Information on cases and the outcome of emergency treatment are recorded in a register/logbook.

Documented evidence must be provided.

### 3.6.1.4 Case reviews are undertaken within the service to assess the quality of treatment and care of patients requiring emergency care.

This can take the form of morbidity and mortality meetings or debriefing sessions. Documented evidence must be provided.

### 3.6.1.5 There is a protocol that delineates how the service evaluates, manages, stabilises and transfers patients with emergency conditions.

Documented evidence must be provided.

## 3.6.2 The hospice and palliative care service provides resuscitation in accordance with policy.

### **Standard Intent:**

Resuscitation policies and equipment should be standardised throughout the service. Standardised resuscitation processes require:

- a) The level at which resuscitation is provided and by whom
- b) Coordination among those who provide and maintain the equipment
- c) Availability of required equipment
- d) Availability of required drugs
- e) Initial and ongoing training of personnel in the use of equipment and execution of procedures
- f) Maintenance and monitoring of equipment
- g) Current, evidence-based guidelines for resuscitation

Deficiencies in the system regarding equipment, its use and the knowledge and skills required by those who carry out resuscitation should be identified, documented and acted upon. Each service should identify those members of personnel to be trained in emergency life support and the level of training (basic or advanced) appropriate to their role in the service. The person(s) providing the training must be currently registered and/or accredited with a recognised body as a resuscitation trainer. Training in many instances can be outsourced.

### Criteria:

### 3.6.2.1 The service has an implemented resuscitation policy.

Documented policies and procedures that include at least a) – g) must be available and implemented. Evidence of implementation of all of the listed policies is required for a compliance rating, otherwise this criterion will be scored PC.

### 3.6.2.2 All service personnel are trained in basic resuscitation techniques at least every two years, with records of their attendance at such training.

Documented evidence of nationally accepted training must be provided.

3.6.2.3 All medical practitioners are updated in medication protocols for resuscitation and resuscitation techniques at least every two years with records of their attendance at such training.

Documented evidence of nationally accepted training must be provided.

3.6.2.4 A designated person documents monthly checks to ensure that resuscitation medication and equipment is available, in working order and that medication is not expired and reports any adverse findings for immediate remediation.

Documented evidence must be provided.

### Standard Intent:

Resuscitation equipment and medication is available at the point of need within 1 minute. In addition, there is access to a defibrillator or automated external defibrillator (AED) within 3 minutes of any patient collapsing. Resuscitation equipment includes at least:

- a) A defibrillator/AED with adult and infant paddles/pads
- b) An ECG monitor
- c) A bag-mask manual ventilator
- d) A selection of oropharyngeal airways

<sup>3.6.3</sup> Equipment for resuscitation is available in accordance with the policies of the service.

### Criteria:

### 3.6.3.1 There is a designated resuscitation area.

This does not have to be an area that is used exclusively for resuscitation, it may be in the normal consulting area.

The area must however allow easy access for resuscitation equipment and emergency personnel, have a suitable surface on which to perform resuscitation and ensure the privacy of the patient.

### 3.6.3.2 There is a mechanism for the summoning of medical help in an emergency.

This refers to the summoning of medical help both from within the service itself (to alert personnel that there is an emergency) and from outside the service. Various methods such as an alarm, intercom, alert button, telephone etc. acceptable.

Personnel must be able to demonstrate the procedure to be followed when an emergency situation arises.

### 3.6.3.3 The service provides resuscitation equipment according to the services provided.

Resuscitation equipment and documented evidence of the checking thereof according to the palliative care service's resuscitation policy must be available but must include at least a) – d) in the standard intent above.

Checking must include the identification of expiry dates on consumables such as airways. Documented evidence of this checking is required.

### 3.6.3.4 Diagnostic and vital sign monitoring equipment is available as per palliative care service policy.

Compliance will be measured on physical inspection.

## 3.6.3.5 Equipment for early cardiopulmonary resuscitation is available within one minute in each area of the palliative care service and access to a defibrillator or automated external defibrillator (AED) within three minutes of any patient collapsing.

Resuscitation equipment must be available at the point of need within one minute. In addition, there must be access to a defibrillator or automated external defibrillator (AED) within three minutes of any patient collapsing.

### 3.6.3.6 The service has access to Ambulance Services (EMS).

The service personnel must be able to describe the process for contacting ambulance services and the contact details must be readily available at all telephones in the palliative care service.

### 3.7 Medication management

Prescribing and dispensing of medications adheres to laws, regulations and professional standards of practice.

#### Standard Intent:

3.7.1

The hospice and palliative care service must ensure that those responsible for prescribing, dispensing and ordering of medication are suitably qualified and registered.

The service dispenses medication in the most ready-to-administer form possible to minimise opportunities for error during reconstitution and administration. The system supports accurate dispensing of medication in a timely manner.

The service implements systems to ensure that all pharmaceutical practices are in accordance with current legislation.

### Criteria:

### 3.7.1.1 A designated individual who is suitably qualified has clearly defined responsibilities and accountability for all aspects of medication management.

This requires that an individual in the service has the officially assigned duties of overseeing and taking responsibility for all aspects of medication management. This may be the service manager or a suitably gualified health professional.

## 3.7.1.2 Medication is prescribed and dispensed in accordance with legislation and current pharmaceutical, medical and nursing guidelines.

Compliance will be verified during the patient record audit.

### 3.7.1.3 The scope of and limitations to the responsibilities and activities of the personnel who manage medication are clearly defined in written policies.

This is particularly relevant where certain medication may only be prescribed by designated specialists.

Compliance will be verified with reference to service policy and country-specific legislation.

## 3.7.1.4 Medication is securely and legibly labelled with relevant information as required by policy.

Country-specific regulations apply, but must include at least the following:

- Name of patient and patient record number (if applicable)
- Proprietary name/approved name or name of each active ingredient
- Direction with regard to the manner in which medication must be used
- Strength and number of dose units in the container
- Date of dispensing
- Expiry date and batch number
- Additional labels with warnings and storage instructions in accordance with palliative care service policy

### 3.7.1.5 A register is maintained of all medication dispensed.

Documented evidence is required.

## 3.7.1.6 The person prescribing and dispensing the medication has access to patient information that would contra-indicate prescription of particular medication.

Compliance will be assessed during the patient record audit.

## 3.7.1.7 The person dispensing medication informs the patient of available generic equivalents.

Compliance will be assessed during the patient record audit.

### 3.7.1.8 Controlled medication is prescribed and dispensed in accordance with legislation and policy.

Compliance will be measured by examining the dispensing register, the controlled medication register and during the patient record audit.

#### 3.7.1.9 Verbal/telephonic medication orders are documented in the patient's record.

Compliance will be verified during the patient record audit.

### **3.7.1.10** Prescriptions conform to all legal requirements.

Compliance will be verified during the patient record audit.

3.7.2 The hospice and palliative care service has a nominated personnel member who is suitably trained to oversee cold chain management.

#### **Standard Intent:**

The potency of medication depends on suitable storage. The cold chain is the system of transporting and storing temperature sensitive medication within the safe temperature range of 2 - 8°C. For temperature sensitive medication to be effective, the cold chain must be maintained from the place of manufacture to the point of administration. Each time that such medication is exposed to the wrong temperature, their potency is reduced.

Deep freeze, refrigeration, cold room and cool area facilities are provided for safe storage of certain medications. There is a mechanism for ensuring that the correct temperature is maintained throughout the life of the medications. Deep freezers and refrigerators are defrosted when necessary. Doors, hinges and seals are all functional.

#### Criteria:

# 3.7.2.1 Policies and procedures are implemented to ensure that medication is transported to the service and stored according to manufacturers' guidelines, with specific emphasis on maintenance of cold chain requirements.

Policies must be available that address the transportation of medication and particularly the maintenance of the cold chain all the way from the manufacturer to the end user. It is the responsibility of the dispensing practitioner to ensure that the cold chain is maintained. Documented evidence of cold-chain monitoring will be required for compliance with this criterion.

### 3.7.2.2 A dedicated refrigerator is available for medication requiring storage at low temperatures.

The refrigerator must be used exclusively for the storage of medication. The records should also reflect regular defrosting of the refrigerator with documented evidence of maintenance of the cold chain for medication during the defrosting process.

### 3.7.2.3 A monitoring log is kept of the temperature within the refrigerator and/or cold-chain monitors and is available for inspection.

Temperature records should demonstrate maintenance of the temperature between 2 and 8 degrees Celsius.

### 3.7.2.4 The fridge thermometer is calibrated at regular intervals determined by the service and the calibration is documented.

The calibration method will depend on the type of thermometer. Documented evidence is required.

### 3.7.2.5 Any remedial action taken is recorded.

When the refrigerator temperature is out of range, appropriate action should be taken and documented, and effectiveness of the action monitored. This will require evidence of action both in relation to the refrigerator and the medication stored in the refrigerator. Medication should be discarded when necessary according to manufacturer's guidelines. Continued monitoring of

refrigerator temperature should demonstrate return to the required range within an expected timeframe, failing which further action should be taken.

### 3.7.2.6 The integrity of door seals, door and hinges is checked at regular intervals and documented accordingly.

Compliance will be measured by observation and on documented evidence.

### 3.7.3 Medication is stored in a secure and clean environment.

### **Standard Intent:**

The hospice and palliative care service stores and dispenses medication in a clean and secure environment which complies with laws, regulations and professional practice standards. In particular, medication is clearly labelled, which includes the following:

- Generic name
- Strength of medicine
- Dose, frequency and duration of course
- Date of dispensing and expiry date
- Name of patient
- Name/address of supplier
- Child safety warning
- Batch number

Secure storage systems ensure that pharmaceuticals and related substances are held under conditions that conform to statutory requirements and manufacturer's requirements.

There are arrangements for ensuring the security of medication including alarm systems, door access controls and safes/vaults for storing controlled medicines.

There is a registry, log or other mechanism for monitoring and accounting for controlled substances.

#### Criteria:

## 3.7.3.1 Medication storage areas are protected from heat and light and effectively ventilated.

Note must be made of provision for medication that should not be exposed to direct sunlight. Where the ambient temperature in the cupboard/room cannot be maintained at 20-25 degrees Celsius there should be evidence that the environmental temperature is monitored and complies with the manufacturer's requirements for medication storage.

#### 3.7.3.2 Stored medication is legibly marked and securely labelled.

Country-specific regulations apply, but must include at least the following:

- Proprietary name/approved name or name of each active ingredient
- Strength and number of dose units in the container
- Expiry date and batch number

### 3.7.3.3 Controlled drugs are stored in a cabinet of substantial construction, for which only authorised personnel have the keys.

Country-specific laws and regulations and facility policy will determine the nature of such medication.

3.7.3.4 Controlled drugs are stored in suitable facilities which include but are not limited to: lockable storage facilities, ceiling cages, burglar guards and alarm systems with keypads.

The purpose of this criterion is to ensure the safety of controlled medication during times when the service is closed. Unlike 24-hour facilities, these unattended services may be targeted and therefore additional security measures are required.

## 3.7.3.5 Controlled drugs are accurately accounted for in a specific register which is updated contemporaneously and available for inspection.

Compliance will be measured against medication control regulations to ensure that the information in the register is accurate and complies with the requirements.

### 3.7.3.6 Controlled drugs that have expired are disposed of in accordance with legal requirements.

Compliance will be measured against medication control regulations to ensure that the information in the register is accurate and complies with the requirements.

### 3.7.3.7 All pharmaceuticals and medical consumables are regularly checked for expiry dates and checks are recorded.

Compliance will be measured by observation and documented evidence is required.

### 3.7.3.8 An inventory management system either manual (stock cards) or automated, is in place to monitor maximum and minimum stock levels and control stock losses.

This requires the service to identify maximum and minimum stock levels based on records of medication use over time.

Compliance will be measured by comparing the actual stock levels to the records.

### 3.8 Patient rights

### 3.8.1 The hospice and palliative care service has a patient rights policy.

#### **Standard Intent:**

The leaders of the hospice and palliative care service are primarily responsible for the way in which the service treats its patients. The leaders need to know and understand patient and family rights and their responsibilities as specified in laws, charters and regulations. The leaders then provide direction to ensure that personnel throughout the service assume responsibility for protecting these rights. To protect and advance patient rights effectively, the leaders work collaboratively and seek to understand their responsibilities in relation to the community served.

Patient and family rights are a fundamental element of all contact between the hospice and palliative care service personnel and patients and families. Policies and procedures are developed and implemented to ensure that all personnel are aware of and respond to patient and family rights issues including their role in supporting patients' and families' rights to participate in the care process and the right to the provision of all information requested by patients and families to enable them to do so. The patient's rights policy is appropriate to the patient's age, understanding and language. When written communication is not effective or appropriate, the patient and family are informed of their rights in a manner they can understand.

### Criteria:

### 3.8.1.1 Patient and family rights are identified in a policy and documented in accordance with relevant and current laws, charters and regulations.

Patient and family rights are internationally accepted and implemented. Country specific patient rights charters must be referenced in the policy. The service policy must include at least the right to:

- A healthy and safe environment
- Participation in decision-making

- Ethical health care
- Choice of health services
- Confidentiality and privacy
- Culturally sensitive care
- Informed consent
- Refusal of treatment
- A second opinion
- Complaints about health services
- Reporting of suspected patient/child abuse to relevant authorities

## 3.8.1.2 Documented evidence of personnel training in relation to these policies and procedures is available.

Evidence of such training can exist in various forms such as formal in-service training sessions, meetings where policies and procedures are discussed, personnel acknowledging in writing that they have studied policies and procedures, etc.

## 3.8.1.3 There is a patient rights charter which is prominently displayed, and patients are made aware of their rights.

Compliance will be measured on observation and by documented evidence that patients are made aware of their rights. This can be achieved by drawing their attention to the poster or by having copies of the charter available.

## 3.8.2 The hospice and palliative care service respects the rights of patients and their families to refuse or discontinue treatment.

### Standard Intent:

Patients or those making decisions on their behalf (i.e. in the case of minors or patients who lack mental capacity due to physical or mental illness) may decide not to proceed with the planned care or treatment or not to continue care or treatment after it has been initiated. The service informs patients and families about their right to make these decisions, about the potential outcomes that could result from these decisions and about their responsibilities related to such decisions. Patients and families are given information on any care and treatment alternatives. Personnel are informed of their responsibility to implement and respect the choices of patients.

### Criteria:

### 3.8.2.1 Patients are informed about their condition and the proposed care plan.

Compliance will be assessed during the patient record audit and/or patient interviews.

**3.8.2.2** The service informs patients and their families about their rights to refuse or discontinue the care provided, and the consequences of such decisions.

Compliance will be assessed during the patient record audit and/or patient interviews.

3.8.2.3 When patients/carers refuse or discontinue treatment, the consultation regarding their decision is accurately and contemporaneously recorded and includes the details of the discussion regarding the consequences of the decision.

Compliance will be assessed during the patient record audit.

3.8.3 The hospice and palliative care service takes measures to protect patient privacy.

#### **Standard Intent:**

The hospice and palliative care service ensures that the patient's need for privacy is respected, especially when the patient is providing personal information and undergoing clinical examination. Patients may desire privacy from other personnel, other patients and even from family members.

Medical and other health information, when documented and collected in a patient record or other form, is important for understanding the patient, his or her needs and for providing care over time. The service respects such information as confidential and has implemented policies and procedures that protect such information from loss or misuse. The personnel respect the confidentiality of patient information by not leaving patient files, results, etc. where they might be visible to members of the public and by not holding patient-related discussions where they may be overheard by other patients or visitors. Such carelessness with patient information can result in loss of dignity or employment for the patient and may result in damage to personal or family relationships. These consequences can follow carelessness by the personnel of the service, or by family members or others not authorised to have access to the information who have obtained information due to the carelessness of personnel.

### Criteria:

### 3.8.3.1 The patient's need for privacy is protected during all examinations, procedures and treatments.

This must be evident in all patient care areas.

### 3.8.3.2 Patient privacy is protected when providing personal information.

This must be evident in all patient care areas including administrative areas and waiting areas. Patient privacy should be safeguarded at all times, including when providing personal information to nonclinical personnel. It is not always necessary to provide privacy by means of physical barriers such as walls and doors. Distance between waiting patients and those speaking with service personnel can also provide the required privacy when less sensitive information is being exchanged. For example, a line can be drawn on the floor some distance away from the registration desk or pharmacy counter. Patients can be requested to wait behind the line and approach the counter only when providing their details or receiving their medication.

Background noise, for example, music or patient education videos, can help to prevent conversations with patients being overheard.

#### 3.8.3.3 The patient's right to privacy is protected for all forms of counselling.

This must be evident in all patient care areas.

### 3.8.3.4 Policies and procedures to prevent the loss or misuse of patient information are implemented.

This criterion measures more than just the information contained in the patient record. The confidentiality agreement that is signed by personnel must include the protection of all patient related information including for example, discussing patient details with anyone not involved in the patient's care, comments on social media etc.

Compliance will be measured by evidence of a signed confidentiality agreement and by examining the incident management system in the service to establish if any complaints or incidents have been reported involving a breach of patient confidentiality.

### 3.8.3.5 When appropriate, patients are permitted to be accompanied by a family member/care-giver during consultations.

Compliance will be verified during patient interviews and observation.

3.8.4 The hospice and palliative care service has a clearly defined process for obtaining consent.

### **Standard Intent:**

One of the main ways that patients are involved in their care decisions is by granting informed consent. The patient must be provided with all information relating to planned care to enable him or her to make decisions. The consent process is clearly defined by the service in policies and procedures. Relevant laws and regulations are incorporated into the policies and procedures.

Informed consent for care sometimes requires that people other than or in addition to the patient be involved in decisions about the patient's care. This is especially true when the patient does not have the mental or physical capacity to make care decisions, when culture or custom designate that others make care decisions or when the patient is a child. When the patient cannot make decisions regarding his or her care a surrogate decision-maker is identified. When someone other than the patient gives consent, that individual is noted in the patient's record.

### Criteria:

### 3.8.4.1 The service has a documented policy outlining the procedure for obtaining general consent for treatment.

This can be achieved for example by obtaining general consent for treatment from patients when they register at the service.

Compliance will be assessed during the patient record audit.

3.8.4.2 The service has a documented policy outlining the procedure for obtaining consent in the case of patients who are unable to grant consent for themselves by way of age or mental/physical incapacity, which is in accordance with the relevant laws and regulations.

Compliance will be assessed during the patient record audit.

### 3.8.4.3 Documented consent is obtained from patients for health information to be provided to a third party.

Evidence of compliance with this criterion may be found in different documents. For example, patients may give consent for information to be shared with health funders as part of their membership registration. Consent is required whenever health information is shared for example with employers, family members or carers, lawyers and insurance companies.

# 3.8.4.4 Where hospice and palliative care service members use patient information for research, approval has been obtained from the relevant ethics committee and from patients themselves where required.

Documented evidence will be required.

3.8.5

The hospice and palliative care service informs patients and their families about the processes which it has instituted to receive and act on complaints, conflicts and differences of opinion about patient care and the patient's right to participate in those processes.

#### Standard Intent:

Patients have a right to voice complaints about their care and to have those complaints reviewed and where possible resolved. Decisions regarding care sometimes present questions, conflicts or other dilemmas for the service and the patient, family or other decision-makers. The service has established processes for seeking resolution to such dilemmas and complaints. The service identifies in policies and procedures those who need to be involved in the processes and how the patient and family participate.

### 3.8.5.1 There is a documented policy outlining the mechanism to allow for the hearing of complaints and how to act upon them which is implemented.

Documented evidence of implementation of the complaints procedure, for example, complaints log and the documentation relating to the investigation and resolution of complaints, must be made available for assessment.

### 3.8.5.2 Patients are aware of their right to voice complaints and the processes by which to do so, internally as well as externally where applicable.

The complaints process must be prominently displayed in the service. Results obtained from patient interviews and observation will determine the level of compliance.

### 3.8.5.3 A nominated individual within the service is responsible for managing the complaints and ensuring that the complaints policy is implemented.

This should be a senior person in the service and is usually the solo practitioner or the service manager.

### 3.8.5.4 A nominated individual within the service is responsible to oversee the investigation of and response to the complaint.

Complainants must be kept informed of the progress of the investigation into the complaint. If there is a legitimate delay, they should be informed of the reason for the delay and provided with regular updates as to the progress of the management of their complaint. Documented evidence is required.

### 3.8.5.5 Complaints are monitored, and repetitions or patterns are identified.

Documented evidence of such monitoring must be available.

### 3.8.5.6 Any opportunities for improvement identified from the investigation of complaints are implemented.

Documented evidence is required.